

U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

PB-258 290

Lay and Mitchell Lakes, Chilton and Coosa Counties, Alabama

Environmental Monitoring and Support Lab, Las Vegas, Nev

Prepared for

Alabama Water Improvement Commission, Montgomery

Jul 76

288039

PB 258 290

**U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY**

WORKING PAPER SERIES



**CORVALLIS ENVIRONMENTAL RESEARCH LABORATORY - CORVALLIS, OREGON
and
ENVIRONMENTAL MONITORING & SUPPORT LABORATORY - LAS VEGAS, NEVADA**

**REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161**

REPORT
ON
LAY AND MITCHELL LAKES
CHILTON AND COOSA COUNTIES
ALABAMA
EPA REGION IV
WORKING PAPER No. 230

WITH THE COOPERATION OF THE
ALABAMA WATER IMPROVEMENT COMMISSION
AND THE
ALABAMA NATIONAL GUARD
JULY 1976

TECHNICAL REPORT DATA <i>(Please read Instructions on the reverse before completing)</i>		
1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO.
4. TITLE AND SUBTITLE Report on Lay and Mitchell Lakes, Chilton and Coosa Counties, Alabama		5. REPORT DATE Prepared July 1976
		6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) Anonymous (National Eutrophication Survey Staff)		8. PERFORMING ORGANIZATION REPORT NO. Working Paper No. 230
9. PERFORMING ORGANIZATION NAME AND ADDRESS National Eutrophication Survey U.S. Environmental Protection Agency P.O. Box 15027 Las Vegas, NV 89114		10. PROGRAM ELEMENT NO.
		11. CONTRACT/GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS Office of Research and Development U.S. Environmental Protection Agency 401 M Street, S. W. Washington, DC 20460		13. TYPE OF REPORT AND PERIOD COVERED Final - 1973
		14. SPONSORING AGENCY CODE
15. SUPPLEMENTARY NOTES Prepared in cooperation with the U.S. Environmental Protection Agency, Corvallis Environmental Research Laboratory, Eutrophication Survey Branch, Corvallis, OR 97330		
16. ABSTRACT Annual total phosphorus and total nitrogen loadings to the lake were estimated and subdivided according to either point or non-point source origin. An assessment of the lake's trophic condition and limiting nutrient is also provided. All data collected by the U.S.E.P.A. National Eutrophication Survey during the one year study of the lake and its tributaries are included in the report.		
17. KEY WORDS AND DOCUMENT ANALYSIS		
a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
eutrophication lakes nutrients phosphorus nitrogen loading		05B 05C
		PRICES SUBJECT TO CHANGE
18. DISTRIBUTION STATEMENT Release unlimited	19. SECURITY CLASS (This Report)	21. NO. OF PAGES 82
	20. SECURITY CLASS (This page)	22. PRICE \$5.00

1 (H)

CONTENTS

	<u>Page</u>
Foreword	ii
List of Study Lakes - Alabama	iv
Lake and Drainage Area Maps	v - vii
<u>Sections</u>	
I. Conclusions	1
II. Lake and Drainage Basin Characteristics	4
III. Lake Water Quality Summary	6
IV. Nutrient Loadings	13
V. Literature Reviewed	22
VI. Appendices	23

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to freshwater lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point source discharge reduction and nonpoint source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

- a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.
- b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.
- c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's freshwater lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by the U.S. Environmental Protection Agency and to augment plans implementation by the states.

ACKNOWLEDGEMENTS

The staff of the National Eutrophication Survey (Office of Research and Development, U.S. Environmental Protection Agency) expresses sincere appreciation to the Alabama Water Improvement Commission for professional involvement and to the Alabama National Guard for conducting the tributary sampling phase of the Survey.

E. John Williford, Chief, Surveillance and Monitoring Section; and John C. Chitwood, Biologist, Surveillance and Monitoring Section; and Sam L. Coleman, Water Quality Planning Section; and M. H. Floyd, Engineer, Surveillance and Monitoring Section; and Truman Green, Engineer, Municipal Waste Control Section; and Tim McCartha, Biologist, Surveillance and Monitoring Section; and James E. McIndoe, Engineer, Water Quality Planning Section; and Richard T. Maddox, Engineer, Industrial Waste Control Section; and James T. White, Engineer, Municipal Waste Control Section provided invaluable lake documentation and counsel during the course of the Survey.

Major General Charles A. Rollo, Adjutant General of Alabama, and Project Officer Lt. Col. Wash B. Ray, who directed the volunteer efforts of the Alabama National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY LAKES

STATE OF ALABAMALAKE NAME

Bankhead

Gantt

Guntersville

Holt Lock and Dam

Lay

Martin

Mitchell

Pickwick

Purdy

Weiss

Wilson

COUNTY

Walker

Covington

Marshall, Johnson

Tuscaloosa

Chilton, Coosa

Elmore, Tallapoosa


Coosa, Chilton


Colbert, Lauderdale
(Tishomingo in MS
and Hardin in TN)


Jefferson, Shelby

Cherokee

Lauderdale, Colbert,
Lawrence







REPORT ON LAY LAKE AND MITCHELL LAKE, ALABAMA
STORET NUMBERS 0106 AND 0108

I. CONCLUSIONS

A. Trophic Condition:*

Lay Lake and Mitchell Lake are classified as eutrophic, i.e., nutrient-rich and highly productive, based upon Survey data. Whether such nutrient enrichment is to be considered beneficial or deleterious is determined by its actual or potential impact upon designated beneficial water uses of each lake.

The phytoplankton was dominated by pollution-tolerant genera. Nutrient levels, potential productivity as measured by algal assay control yields and chlorophyll a values are high, while Secchi disc visibility is low. Of the 11 Alabama lakes surveyed in 1973, only one had higher median total phosphorus values than Lay Lake, and 4 had higher total phosphorus levels than Mitchell Lake.

b. Rate-Limiting Nutrient:

Algal assay results indicate that Lay and Mitchell Lakes were limited in primary production by available

*See Appendix E.

nitrogen levels. Spikes of nitrogen, and nitrogen and phosphorus simultaneously resulted in increases in assay yields. Additions of phosphorus alone did not stimulate a significant growth response. The ratios of available inorganic nitrogen to orthophosphorus (N/P) in sampled waters were generally consistent with nitrogen limitation.

C. Nutrient Controllability:

1. Point sources -

The mean annual phosphorus load from known point sources was estimated to be 3.3% of the total directly reaching Lay Lake, and 0.5% of the total to Mitchell Lake. Nutrient loading to both reservoirs was far in excess of the eutrophic levels proposed by Vollenweider (1975) for lakes with such volumes and retention times. However, Vollenweider's model probably does not apply to lakes with short hydraulic retention times, and the retention times of Lay and Mitchell Lakes are only 14 and 1 days, respectively.

Loading calculations for both Lay Lake and Mitchell Lake indicate a net export of phosphorus, suggesting sampling was not adequate to depict actual loading and export rates. This apparent export could be attributed to undetected discharges reaching the lakes from unknown industrial or municipal sources, or to nonrepresentative sampling.

2. Nonpoint sources -

Nutrient loading appears to be largely uncontrollable for both impoundments. The Coosa River contributed over 92% of their total nutrient budgets, and ungaged drainage areas were estimated to have contributed only about 1%. Additional sampling and an evaluation of current land uses and presently unmeasured point sources are necessary before recommendations for either lake can be proposed.

In general, few lakes are nitrogen limited as a result of low nitrogen. Rather, excessive phosphorus levels shift limitations to nitrogen or other factors. Regardless of the primary nutrient limitation suggested by either algal assay or nutrient ratios, the most feasible approach to nutrient control, if desirable, is through available phosphorus control technology and subsequent establishment of phosphorus limitation within the water body.

II. LAKE AND DRAINAGE BASIN CHARACTERISTICS

Lake and drainage basin characteristics are itemized below. The surface area and mean depth were provided by the Alabama Water Improvement Commission; maximum depth was estimated on the basis of National Eutrophication Survey (NES) sampling data; tributary flow data were provided by the Alabama District Office of the U.S. Geological Survey (USGS). Mean hydraulic retention time was obtained by dividing the lake volume by mean flow of the outlet. Precipitation values are estimated by methods as outlined in NES Working Paper No. 175. A table of metric/English conversions is included as Appendix A.

A. Lake Morphometry:	<u>Lay Lake</u>	<u>Mitchell Lake</u>	
1. Surface area:	48.56	23.63	km ² .
2. Mean depth:	10.1	1.3	meters.
3. Maximum depth:	25.0	24.4	meters.
4. Volume:	492.884	30.719	x 10 ⁶ m ³ .
5. Mean hydraulic retention time:	14	1	days.

B. Tributary and Outlet (see Appendix B for flow data):

1. Tributaries -			Lay Lake			Mitchell Lake		
Name	Drainage area(km ²)	Mean flow (m ³ /sec)	Name	Drainage area(km ²)	Mean flow (m ³ /sec)			
A(2) Coosa River	21,730.1	316.79	A(2) Coosa River	23,387.7	402.29			
B(1) Waxahatchee Creek	458.4	7.43	B(1) Cargyle Creek	26.7	0.54			
C(1) Little Beeswax Creek	24.3	0.43	C(1) Walnut Creek	113.4	2.52			
D(1) Beeswax Creek	44.0	0.83	D(1) Yellowleaf Creek	204.3	3.53			
E(1) Yellowleaf Creek	484.3	8.01	E(1) Weogufka Creek	287.5	3.96			
F(1) Kahatchee Creek	40.1	0.72	F(1) Hatchett Creek	963.5	16.01			
G(1) Cedar Creek	70.4	1.15						
H(1) Peckerwood Creek	68.6	0.89						
J(1) Paint Creek	41.4	0.50						
Minor tributaries and immediate drainage	376.2	7.09	Minor tributaries and immediate drainage	318.2	5.70			
Totals	23,337.8	343.84	Totals	25,301.3	434.55			
2. Outlet -								
A(1) Coosa River	23,387.7	402.29	A(1) Coosa River	25,325.0	442.84			

III. LAKE WATER QUALITY SUMMARY

Lay Lake and Mitchell Lake were sampled three times during the open-water season of 1973 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from three stations on each lake and from a number of depths at each station (see maps, page v-vii). During each visit, depth-integrated samples were collected from each station for chlorophyll a analysis and phytoplankton identification and enumeration. During the first visit, 18.9-liter depth-integrated samples were composited for algal assays. Maximum depths (in meters) sampled were as follows:

<u>Station Number</u>	<u>Lay Lake</u>	<u>Mitchell Lake</u>
1	7.3	22.9
2	23.8	12.8
3	11.9	11.0

For a more detailed explanation of NES methods, see NES Working Paper No. 175.

The results obtained are presented in full in Appendix C and are summarized in III-A for waters at the surface and at the maximum depth for each site. Results of the phytoplankton counts and chlorophyll a determinations are included in III-B. Results of the limiting nutrient study are presented in III-C.

LAY LARK
STATION CODE 0106

PHYSICAL AND CHEMICAL CHARACTERISTICS

PARAMETER	NO	(6/ 6/73)			(8/24/73)			(10/31/73)				
		RANGE	MEDIAN	MAX DEPTH RANGE (METERS)	NO	RANGE	MEDIAN	MAX DEPTH RANGE (METERS)	NO	RANGE	MEDIAN	MAX DEPTH RANGE (METERS)
TEMPERATURE (DEG CENT)												
0-1.5 M DEPTH	6	25.0-25.4	25.6	0.0-1.5	6	24.3-30.2	29.4	0.0-1.5	6	20.0-21.3	20.3	0.0-1.5
MAX DEPTH	3	25.0-25.4	25.1	7.3-22.9	3	24.3-29.7	29.3	6.7-22.9	3	20.0-21.3	20.3	6.4-23.8
DISSOLVED OXYGEN (MG/L)												
0-1.5 M DEPTH	3	5.0-6.0	5.6	1.5-1.5	3	4.0-7.2	4.6	1.5-1.5	3	5.2-5.6	5.4	1.5-1.5
MAX DEPTH	3	5.0-5.7	5.2	7.3-22.9	3	2.0-4.2	4.0	6.7-22.9	3	5.2-5.6	5.6	6.4-23.8
CONDUCTIVITY (UMH/CM)												
0-1.5 M DEPTH	6	105-130	108	0.0-1.5	6	155-173	171	0.0-1.5	6	140-145	142	0.0-1.5
MAX DEPTH	3	105-115	105	7.3-22.9	3	152-172	171	6.7-22.9	3	140-146	140	6.4-23.8
PH (STANDARD UNITS)												
0-1.5 M DEPTH	6	6.9-7.2	7.0	0.0-1.5	6	7.2-8.2	7.3	0.0-1.5	6	7.2-7.3	7.2	0.0-1.5
MAX DEPTH	3	6.9-7.2	6.9	7.3-22.9	3	7.0-7.2	7.1	6.7-22.9	3	7.2-7.3	7.2	6.4-23.8
TOTAL ALKALINITY (MG/L)												
0-1.5 M DEPTH	6	41-44	42	0.0-1.5	6	51-57	55	0.0-1.5	6	46-51	48	0.0-1.5
MAX DEPTH	3	42-47	43	7.3-22.9	3	50-55	55	6.7-22.9	3	47-53	48	6.4-23.8
TOTAL P (MG/L)												
0-1.5 M DEPTH	6	0.074-0.091	0.084	0.0-1.5	6	0.023-0.054	0.037	0.0-1.5	6	0.052-0.110	0.084	0.0-1.5
MAX DEPTH	3	0.076-0.097	0.093	7.3-22.9	3	0.035-0.055	0.037	6.7-22.9	3	0.073-0.120	0.097	6.4-23.8
DISSOLVED UNITS P (MG/L)												
0-1.5 M DEPTH	6	0.031-0.045	0.034	0.0-1.5	6	0.007-0.027	0.013	0.0-1.5	6	0.021-0.067	0.053	0.0-1.5
MAX DEPTH	3	0.033-0.034	0.034	7.3-22.9	3	0.011-0.021	0.018	6.7-22.9	3	0.026-0.053	0.046	6.4-23.8
NO2+NO3 (MG/L)												
0-1.5 M DEPTH	6	0.270-0.316	0.300	0.0-1.5	6	0.040-0.150	0.070	0.0-1.5	6	0.270-0.400	0.345	0.0-1.5
MAX DEPTH	3	0.270-0.280	0.280	7.3-22.9	3	0.090-0.160	0.140	6.7-22.9	3	0.290-0.390	0.330	6.4-23.8
AMMONIA (MG/L)												
0-1.5 M DEPTH	6	0.120-0.300	0.145	0.0-1.5	6	0.030-0.050	0.040	0.0-1.5	6	0.030-0.060	0.045	0.0-1.5
MAX DEPTH	3	0.120-0.160	0.120	7.3-22.9	3	0.060-0.110	0.070	6.7-22.9	3	0.030-0.060	0.040	6.4-23.8
KJELDAHL N (MG/L)												
0-1.5 M DEPTH	6	0.300-0.800	0.400	0.0-1.5	6	0.300-1.200	0.550	0.0-1.5	6	0.200-0.500	0.250	0.0-1.5
MAX DEPTH	3	0.300-0.500	0.300	7.3-22.9	3	0.300-0.600	0.400	6.7-22.9	3	0.300-0.400	0.300	6.4-23.8
SPECIFIC UTIC (METER)	3	0.5-0.5	0.5		3	0.8-1.4	0.9		3	0.5-0.9	0.7	

* N = NO. OF SAMPLES
 ** MAXIMUM DEPTH SAMPLED AT EACH SITE
 *** S = NO. OF SITES SAMPLED ON THIS DATE

MITCHELL LAB
STUDY CODE 0104

PHYSICAL AND CHEMICAL CHARACTERISTICS

PARAMETER	NO	(6/27/73)			(8/29/73)			(10/31/73)					
		RANGE	MEDIAN	MAX DEPTH RANGE (FEET)	NO	RANGE	MEDIAN	MAX DEPTH RANGE (FEET)	NO	RANGE	MEDIAN	MAX DEPTH RANGE (FEET)	
TEMPERATURE (DEG CEN)													
0-1.5 m depth	5	25.2-25.8	25.4	0.0-1.5	3	24.2-24.9	24.4	0.0-0.0	5	21.0-21.5	21.1	0.0-1.5	
MAX DEPTH	3	24.2-25.8	25.0	0.1-1.0	3	24.3-24.5	24.1	0.1-1.0	3	21.1-21.6	21.1	11.0-22.9	
CLONADO (mg/L)													
0-1.5 m depth	3	0.0-7.4	0.0	1.5-1.5	3	0.0-0.0	0.0	0.0-0.0	3	0.0-0.0	0.0	1.5-1.5	
MAX DEPTH	3	0.0-7.4	0.0	0.1-1.0	3	0.0-0.0	0.0	0.1-1.0	3	0.0-0.0	0.0	11.0-22.9	
CONDUCTIVITY (umhos)													
0-1.5 m depth	5	105-145	110	0.0-1.5	3	130-149	143	0.0-0.0	5	143-146	144	0.0-1.5	
MAX DEPTH	3	105-110	105	0.1-1.0	3	116-149	141	0.1-1.0	3	145-147	146	11.0-22.9	
DO (SATURATED UMITS)													
0-1.5 m depth	5	5.0-7.2	7.1	0.0-1.5	3	7.2-8.6	7.6	0.0-0.0	5	7.2-7.3	7.2	0.0-1.5	
MAX DEPTH	3	7.0-7.2	7.1	0.1-1.0	3	7.0-7.1	7.1	0.1-1.0	3	7.2-7.3	7.2	11.0-22.9	
TOTAL AMALGAM (um/L)													
0-1.5 m depth	5	30-40	37	0.0-1.5	3	40-50	44	0.0-0.0	5	52-54	54	0.0-1.5	
MAX DEPTH	3	30-36	34	0.1-1.0	3	41-55	52	0.1-1.0	3	51-57	54	11.0-22.9	
TOTAL (um/L)													
0-1.5 m depth	5	0.070-0.080	0.070	0.0-1.5	3	0.040-0.054	0.043	0.0-0.0	5	0.040-0.053	0.051	0.0-1.5	
MAX DEPTH	3	0.070-0.080	0.070	0.1-1.0	3	0.053-0.070	0.057	0.1-1.0	3	0.050-0.058	0.051	11.0-22.9	
CLONADO (um/L)													
0-1.5 m depth	5	0.027-0.036	0.031	0.0-1.5	3	0.010-0.014	0.013	0.0-0.0	5	0.007-0.022	0.014	0.0-1.5	
MAX DEPTH	3	0.027-0.036	0.030	0.1-1.0	3	0.010-0.014	0.014	0.1-1.0	3	0.020-0.021	0.021	11.0-22.9	
0-2.0 m depth													
MAX DEPTH	3	0.020-0.027	0.024	0.0-1.5	3	0.000-0.010	0.000	0.0-0.0	5	0.020-0.020	0.020	0.0-1.5	
AMALGAM (um/L)													
0-1.5 m depth	5	0.110-0.140	0.135	0.0-1.5	3	0.050-0.110	0.070	0.0-0.0	5	0.010-0.040	0.020	0.0-1.5	
MAX DEPTH	3	0.110-0.140	0.120	0.1-1.0	3	0.050-0.110	0.070	0.1-1.0	3	0.010-0.040	0.020	11.0-22.9	
AMALGAM (um/L)													
0-1.5 m depth	5	0.100-0.040	0.040	0.0-1.5	3	0.030-0.040	0.040	0.0-0.0	5	0.020-0.040	0.030	0.0-1.5	
MAX DEPTH	3	0.100-0.040	0.040	0.1-1.0	3	0.030-0.040	0.040	0.1-1.0	3	0.020-0.040	0.030	11.0-22.9	
SECCO (um/L)													
0-1.5 m depth	3	0.0-0.7	0.0		3	1.0-1.1	1.0		3	0.0-1.0	0.0		

NO. OF SAMPLES
NO. OF DEPTHS SAMPLED AT EACH SITE
NO. OF SITES SAMPLED ON THIS DATE

B. Biological Characteristics:

1. Phytoplankton -

Lay Lake				Mitchell Lake			
Sampling Date	Dominant Genera	Number per ml		Sampling Date	Dominant Genera	Number per ml	
06/06/73	1. Melosira 2. Flagellates 3. Cryptomonas 4. Scenedesmus 5. Stephanodiscus	7,015 2,551 996 319 119		06/06/73	1. Melosira 2. Flagellates 3. Dinoflagellates 4. Dactylococcopsis 5. Cryptomonas	2,027 753 203 174 58	
	Other genera	999			Other genera	259	
	Total	11,999			Total	3,474	
08/29/73	1. Melosira 2. Anabaena 3. Flagellates 4. Cryptomonas 5. Cyclotella	5,610 1,898 1,223 633 509		08/29/73	1. Melosira 2. Anabaena 3. Flagellates 4. Cyclotella 5. Scenedesmus	1,801 661 443 319 296	
	Other genera	2,863			Other genera	1,301	
	Total	12,736			Total	4,821	
10/31/73	1. Melosira 2. Flagellates 3. Cryptomonas 4. Cyclotella 5. Stephanodiscus	931 910 546 303 202		10/31/73	1. Flagellates 2. Melosira 3. Unknown filament 4. Cyclotella 5. Cryptomonas	1,215 908 275 243 243	
	Other genera	689			Other genera	681	
	Total	3,581			Total	3,565	

2. Chlorophyll a -

<u>Sampling Date</u>	<u>Station Number</u>	<u>Chlorophyll a ($\mu\text{g/l}$)</u>
06/07/73	1	5.1
	2	6.0
	3	8.6
08/29/73	1	8.4
	2	10.9
	3	12.9
10/31/73	1	2.3
	2	4.6
	3	4.7

<u>Sampling Date</u>	<u>Station Number</u>	<u>Chlorophyll a ($\mu\text{g/l}$)</u>
06/06/73	1	5.7
	2	6.3
	3	5.7
08/29/73	1	12.4
	2	5.2
	3	7.7
10/31/73	1	4.6
	2	4.3
	3	4.0

C. Limiting Nutrient Study:

1. Autoclaved, filtered, and nutrient spiked -

Spike(mg/l)	Lay Lake			Mitchell Lake		
	Ortho P Conc.(mg/l)	Inorganic N Conc.(mg/l)	Maximum Yield (mg/l-dry wt.)	Ortho P Conc.(mg/l)	Inorganic N Conc.(mg/l)	Maximum Yield (mg/l-dry wt.)
Control	0.039	0.324	9.0	0.035	0.280	8.9
0.010 P	0.049	0.324	8.7	0.045	0.280	7.8
0.020 P	0.059	0.324	9.4	0.055	0.280	8.1
0.050 P	0.089	0.324	9.5	0.085	0.280	7.9
0.025 P + 0.5 N	0.064	0.824	18.7	0.060	0.780	17.2
0.050 P + 1.0 N	0.084	1.324	28.1	0.085	1.280	29.1
1.0 N	0.039	1.324	15.2	0.035	1.280	13.2

2. Filtered and nutrient spiked -

Spike(mg/l)	Lay Lake			Mitchell Lake		
	Ortho P Conc.(mg/l)	Inorganic N Conc.(mg/l)	Maximum Yield (mg/l-dry wt.)	Ortho P Conc.(mg/l)	Inorganic N Conc.(mg/l)	Maximum Yield (mg/l-dry wt.)
Control	0.028	0.278	6.7	0.022	0.278	6.7
0.010 P	0.032	0.278	9.8	0.032	0.278	7.6
0.020 P	0.048	0.278	8.1	0.042	0.278	7.0
0.050 P	0.078	0.278	9.3	0.082	0.278	6.6
0.025 P + 0.5 N	0.053	0.778	15.5	0.047	0.778	11.6
0.050 P + 1.0 N	0.078	1.278	24.3	0.082	1.278	21.6
1.0 N	0.028	1.278	10.0	0.022	1.278	10.0

3. Discussion -

The control yields of the assay alga, Selenastrum capricornutum, indicate that the potential for primary production in Lay and Mitchell Lakes was high at the time of sample analyses. In all assays, except the filtered only for Lay Lake, increases in yield with the addition of nitrogen as well as the lack of response when only phosphorus was added indicate nitrogen limitation. In the Lay Lake filtered only sample, the .010 µg/l phosphorus spike resulted in increased yield equivalent to the nitrogen spike. Maximum growth potential was achieved with the simultaneous addition of both phosphorus and nitrogen.

The N/P ratio (12/1 or less) in the field data indicates nitrogen limitation for Lay Lake during all sampling periods. Based on N/P ratios, Mitchell Lake could be considered nitrogen limited during the June (13/1) and August (10/1) sampling periods and phosphorus limited during the October (14/1) sampling period.

The N/P ratios in the field data are not consistent with the assay limiting nutrient findings except for the October sampling round on Mitchell Lake, where the N/P ratio of 14/1 suggests primary limitation by phosphorus.

IV. NUTRIENT LOADINGS (See Appendix D for data)

For the determination of nutrient loadings, the Alabama National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the maps (pages v-vii), except for the high runoff months of January and February when two samples were collected. Sampling was begun in March 1973, and was completed in February 1974.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the Alabama District Office of the USGS for the tributary sites nearest each lake.

In this report, nutrient loads for sampled tributaries were determined by using a modification of the USGS computer program for calculating stream loadings. Nutrient loads indicated for tributaries are those measured minus known point source loads. Very high nutrient values were noted for Station 0103C1. Two possible reasons for this are 1) the sample may have been contaminated with bottom material, and/or 2) the sample may have been taken too close to the Clanton STP. In either case, non-point source loads for Walnut Creek were estimated by multiplying the drainage area in km^2 at that site by the mean of the nutrient loads in $\text{kg}/\text{km}^2/\text{year}$ at the Stations 0106F1, 0106H1, 0106J1, 0103D1, 0103E1, and 0108F1.

Nutrient loadings for unsampled "minor tributaries and immediate drainage" ("ZZ" of USGS) were estimated by using the mean of the nutrient loads in $\text{kg}/\text{km}^2/\text{year}$ in Kahatchee Creek (0106F1), Peckerwood Creek (0106H1), Paint Creek (0106J1), Yellowleaf Creek (0108D1), Weogufka Creek (0108E1), and Hatchett Creek (0108F1), and multiplying the means by the ZZ area in km^2 .

The operators of the Sylacauga #1, Bon Air, Childersburg West, Calera, Columbiana, Wilsonville, and Clanton wastewater treatment plants provided monthly effluent samples and corresponding flow data. The operators of Fairmont and Oldfield wastewater treatment plants provided monthly effluent samples, without corresponding flow data (see Appendix D). Nutrient loads for these two plants were estimated using 1.134 kg P and 3.401 kg N/Capita/year.

A. Waste Sources:

1. Known municipal -

<u>Name</u>	<u>Population Served</u>	<u>Treatment</u>	<u>Mean Flow (m³/d x 10³)</u>	<u>Receiving Water</u>
<u>LAY LAKE</u>				
Sylacauga #3 (Fairmont)	400	Activated sludge	0.151*	Tributary to Tallasseehatchie Creek
Sylacauga #2 (Oldfield)	300	Extended aeration (Activated sludge)	0.114*	Crooked Creek/ Tallasseehatchie Creek
Sylacuaga #1	12,200	Trickling filter	5.299	Chirtee Creek/ Tallasseehatchie Creek
Bon Air	218	Septic tank	0.276	Griffen Branch/ Tallasseehatchie Creek
Childersburg West	4,000	Stabilization pond	1.317	Baileys Branch
Calera	1,655	Activated sludge	0.460	Waxahatchie Creek
Columbiana	3,000	Stabilization pond	1.211	Waxahatchie Creek
Wilsonville	659	Activated sludge	0.126	Bullett Creek
<u>MITCHELL LAKE</u>				
Clanton	4,500	Trickling filter	2.769	Walnut Creek

*Estimate based upon 0.3785 m³/capita/day.

B. Annual Total Phosphorus Loading - Average Year:

1. Inputs -

Lay Lake				Mitchell Lake			
Source	kg P/yr	% of total		Source	kg P/yr	% of total	
a. Tributaries (nonpoint load) -				a. Tributaries (nonpoint load) -			
A(2) Coosa River	799,570	92.9		A(2) Coosa River	1,051,970	96.9	
B(1) Waxahatchee Creek	8,250	1.0		B(1) Cargle Creek	565	0.1	
C(1) Little Beeswax Creek	515	0.1		C(1) Walnut Creek	1,360	0.1	
D(1) Beeswax Creek	855	0.1		D(1) Yellowleaf Creek	3,285	0.3	16
E(1) Yellowleaf Creek	13,215	1.5		E(1) Weogufka Creek	3,605	0.3	
F(1) Kahatchee Creek	480	0.1		F(1) Hatchett Creek	14,820	1.4	
G(1) Cedar Creek	1,835	0.2					
H(1) Peckerwood Creek	725	0.1					
J(1) Paint Creek	300	<0.1					
b. Minor tributaries and immediate drainage (nonpoint load) -	4,515	0.5		b. Minor tributaries and immediate drainage (nonpoint load) -	3,820	0.4	

Lay Lake			Mitchell Lake		
Source	kg P/yr	% of total	Source	kg P/yr	% of total
c. Known municipal STP's -			c. Known municipal STP's -		
Sylacauga #3 (Fairmont)	450	0.1	Clanton	6,025	0.5
Sylacauga #2 (Oldfield)	340	<0.1			
Sylacauga #1	21,460	2.5			
Bon Air	310	<0.1			
Childersburg West	2,835	0.3			
Calera	1,270	0.1			
Columbiana	2,300	0.3			
Wilsonville	220	0.1			
d. Septic tanks* -	20	<0.1	d. Septic tanks* -	20	<0.1
e. Known industrial - None			e. Known industrial - None		
f. Direct precipitation**	810	0.1	f. Direct precipitation**	415	<0.1
Total	860,275	100.0	Total	1,085,885	100.0
2. Outputs -			2. Outputs -		
A(1) Coosa River	1,051,970		A(1) Coosa River	1,126,335	
3. Net annual P export*** -	191,695		3. Net annual P export*** -	40,450	

*Estimate based on 75 lakeside residences.

**Estimated (see NES Working Paper No. 175).

***Export probably due to unknown sources and/or sampling error.

C. Annual Total Nitrogen Loading - Average Year:

1. Inputs -

Lay Lake			Mitchell Lake		
Source	kg N/yr	% of total	Source	kg N/yr	% of total
a. Tributaries (nonpoint load) -			a. Tributaries (nonpoint load) -		
A(?) Coosa River	13,176,705	94.6	A(2) Coosa River	12,157,280	93.4
B(1) Waxahatchee Creek	212,155	1.5	B(1) Cargle Creek	18,600	0.1
C(1) Little Beeswax Creek	9,720	0.1	C(1) Walnut Creek	47,630	0.4
D(1) Beeswax Creek	26,725	0.2	D(1) Yellowleaf Creek	131,090	1.0
E(1) Yellowleaf Creek	150,175	1.1	E(1) Neogufka Creek	97,230	0.7
F(1) Kahatchee Creek	16,975	0.1	F(1) Hatchett Creek	399,695	3.1
G(1) Cedar Creek	39,180	0.3			
H(1) Peckerwood Creek	25,775	0.2			
J(1) Paint Creek	13,600	0.1			
b. Minor tributaries and immediate drainage (nonpoint load) -	158,005	1.1	b. Minor tributaries and immediate drainage (nonpoint load) -	133,645	1.0

Lay Lake			Mitchell Lake		
Source	kg N/yr	% of total	Source	kg N/yr	% of total
c. Known municipal STP's -			c. Known municipal STP's -		
Sylacauga #3 (Fairmont)	1,360	<0.1	Clanton	11,385	0.1
Sylacauga #2 (Oldfield)	1,020	<0.1			
Sylacauga #1	34,950	0.3			
Bon Air	1,230	<0.1			
Childersburg West	3,810	<0.1			
Calera	1,470	<0.1			
Columbiana	4,605	<0.1			
Wilsonville	360	<0.1			
d. Septic tanks* -	800	<0.1	d. Septic tanks* -	800	<0.1
e. Known industrial - None			e. Known industrial - None		
f. Direct precipitation**	52,425	0.4	f. Direct precipitation**	25,510	0.2
Total	13,931,045	100.0	Total	13,022,865	100.0
2. Outputs -					
A(1) Coosa River	12,157,280		A(1) Coosa River	12,247,875	
3. Net annual N accumulation	1,773,765		3. Net annual N accumulation	774,990	

*Estimate based on 75 lakeside residences.

**Estimated (see NES Working Paper No. 175).

D. Mean Annual Nonpoint Nutrient Export by Subdrainage Area:

<u>Tributary</u>	<u>kg P/km²/yr</u>	<u>kg N/km²/yr</u>
<u>Lay Lake</u>		
Coosa	37	606
Waxahatchee Creek	18	463
Little Beeswax Creek	21	400
Beeswax Creek	19	607
Yellowleaf Creek (0106E1)	27	310
Kahatchee Creek	12	423
Cedar Creek	26	556
Peckerwood Creek	11	376
Paint Creek	7	328
<u>Mitchell Lake</u>		
Coosa River	45	520
Cargle Creek	21	697
Walnut Creek	12	420
Yellowleaf Creek (0108D1)	16	642
Weogufka Creek	12	338
Hatchett Creek	15	415

F. Yearly Loadings:

In the following table, the existing phosphorus annual loading is compared to the relationship proposed by Vollenweider (1975). Essentially, his eutrophic loading is that at which the receiving waters would become eutrophic or remain eutrophic; his oligotrophic loading is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A mesotrophic loading would be considered one between eutrophic and oligotrophic.

Note that Vollenweider's model may not apply to lakes with short hydraulic retention times or in which light penetration is severely restricted by high concentrations of suspended solids in the surface waters.

	Total Yearly Phosphorus Loading (g/m ² /yr)	
	<u>Lay Lake</u>	<u>Mitchell Lake</u>
Estimated loadings for	17.72	45.95
Vollenweider's eutrophic loadings	3.10	3.98
Vollenweider's oligotrophic loadings	1.55	1.97

V. LITERATURE REVIEWED

- U.S. Environmental Protection Agency. 1975. National Eutrophication Survey Methods 1973-1976. Working Paper No. 175. National Environmental Research Center, Las Vegas, Nevada, and Pacific Northwest Environmental Research Laboratory, Corvallis, Oregon.
- Vollenweider, R. A., 1975. Input-Output Models With Final Reference to the Phosphorus Loading Concept in Limnology. Schweiz. A. Hydrol. 37: 53-84.

VI. APPENDICES

APPENDIX A CONVERSION FACTORS

CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x 8.107×10^{-4} = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

APPENDIX B
TRIBUTARY FLOW DATA

25<

07/22/76

TRIBUTARY FLOW INFORMATION FOR ALABAMA

LAKE CODE 0106 LAY LAKE

TOTAL DRAINAGE AREA OF LAKE(SQ KM) 23387.7

TRIBUTARY	SUB-DRAINAGE AREA(SQ KM)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
0106A1	23387.7	553.40	715.48	840.47	649.39	416.09	236.84	213.68	176.64	161.97	174.38	242.85	466.63	402.24
0106A2	21730.1	521.11	496.73	560.13	402.30	385.85	190.80	171.69	169.76	163.93	175.45	222.77	327.97	316.75
0106B1	458.4	15.01	24.92	18.12	14.30	4.81	1.22	1.50	0.62	0.54	0.54	1.07	7.08	7.43
0106C1	24.3	0.021	1.331	0.963	0.765	0.311	0.105	0.127	0.059	0.062	0.054	0.136	0.453	0.427
0106D1	44.0	1.56	2.44	1.47	1.50	0.65	0.24	0.28	0.14	0.15	0.13	0.28	0.88	0.83
0106E1	484.3	13.79	25.43	19.26	15.86	5.38	2.38	2.69	1.44	0.74	0.65	2.21	7.84	8.01
0106F1	40.1	1.36	2.15	1.59	1.30	0.57	0.20	0.24	0.12	0.12	0.11	0.25	0.76	0.72
0106G1	78.4	1.61	2.07	2.46	2.27	1.16	0.76	0.68	0.45	0.34	0.31	0.62	1.10	1.15
0106H1	68.6	1.25	1.64	1.95	1.81	0.91	0.57	0.51	0.31	0.23	0.22	0.45	0.82	0.89
0106J1	41.4	0.71	0.93	1.10	1.07	0.51	0.31	0.28	0.18	0.12	0.12	0.25	0.45	0.50
0106J2	424.0	9.91	12.74	15.15	14.02	7.22	4.59	4.25	2.78	2.10	2.34	3.96	6.80	7.09

SUMMARY

TOTAL DRAINAGE AREA OF LAKE = 23387.7
 SUM OF SUB-DRAINAGE AREAS = 23386.6

TOTAL FLOW IN = 4137.16
 TOTAL FLOW OUT = 4846.93

MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
0106A1	3	73	913.501	3	330.174						
	4	73	962.490	7	1440.761						
	5	73	850.872	5	340.085						
	6	73	564.355	3	831.666						
	7	73	279.086	14	242.675						
	8	73	286.685	25	224.836						
	9	73	138.796	9	34.263						
	10	73	189.124	21	0.0						
	11	73	221.211	18	29.931						
	12	73	512.818	9	63.996						
	1	74	1893.594	5	1022.238	19	866.495				
	2	74	993.921	2	803.282	16	1277.098				
0106A2	3	73	894.244	3	376.897	30	669.977				
	4	73	869.844								
	5	73	841.860	14	703.957						
	6	73	556.426	12	788.771						
	7	73	261.081	3	336.687						
	8	73	168.372	7	304.123						
	9	73	126.293	6	197.368						
	10	73	288.280	5	290.531						
	11	73	211.527	18	4.248						
	12	73	464.679	6	461.241						
	1	74	1027.901	8	1114.268	26	911.802				
	2	74	920.864	6	771.068	21	955.977				

LAKE CODE	0106	LAY LAKE							
MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)									
TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
010601	3	73	24.919	3	20.954				
	4	73	24.069	7	50.050				
	5	73	11.093	5	3.455				
	6	73	2.605	3	3.256				
	7	73	2.633	14	1.699				
	8	73	1.812	25	0.243				
	9	73	0.136	9	0.164				
	10	73	0.230	21	0.082				
	11	73	5.324	18	0.096				
	12	73	16.049	9	4.729				
	1	74	26.051	5	23.503	19	9.769		
	2	74	21.094	2	11.751	16	49.554		
010601	3	73	1.303	4	0.793				
	4	73	1.246	7	3.115				
	5	73	0.660	14	0.453				
	6	73	0.199	13	0.195				
	7	73	0.201	10	0.623				
	8	73	0.147	9	0.281				
	9	73	0.017	6	0.023				
	10	73	0.020	4	0.025				
	11	73	0.294	5	0.014				
	12	73	0.906	5	1.019				
	1	74	1.416	7	2.294	24	0.963		
	2	74	1.104	13	0.510				
010601	3	73	2.407	4	1.501				
	4	73	2.322	7	5.522				
	5	73	1.303	14	0.963				
	6	73	0.425	13	0.425				
	7	73	0.425	10	1.218				
	8	73	0.340	9	0.510				
	9	73	0.044	6	0.054				
	10	73	0.051	4	0.065				
	11	73	0.623	5	0.037				
	12	73	1.727	5	1.926				
	1	74	2.520	7	4.106	24	1.869		
	2	74	2.095	13	1.019				
010601	3	73	25.445	4	12.459				
	4	73	24.636	7	60.881				
	5	73	13.026	14	8.920				
	6	73	3.568	13	3.540				
	7	73	3.594	10	12.035				
	8	73	2.662	9	4.361				
	9	73	0.311	6	0.369				
	10	73	0.340	4	0.453				
	11	73	5.437	5	0.255				
	12	73	17.500	5	10.940				
	1	74	27.351	7	45.307	24	18.972		
	2	74	22.370	13	9.629				

07/22/76

TRIBUTARY FLOW INFORMATION FOR ALABAMA

LAKE CODE 0106 LAY LAKE

MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
0106F1	3	73	2.095	3	1.812	30	1.359		
	4	73	2.010						
	5	73	1.133	14	0.821				
	6	73	0.368	12	0.280				
	7	73	0.368	3	0.178				
	8	73	0.275	7	0.278				
	9	73	0.037	6	0.042				
	10	73	0.040	5	0.045				
	11	73	0.510	8	0.028				
	12	73	1.472	6	0.934				
	1	74	2.209	8	2.718	26	1.869		
0106G1	2	74	1.841	6	0.906	21	1.586		
	3	73	3.879	3	1.133	30	2.520		
	4	73	3.313						
	5	73	3.097	14	1.841				
	6	73	1.869	12	3.143				
	7	73	0.991	21	0.250				
	8	73	0.538	7	0.680				
	9	73	0.311	6	0.311				
	10	73	0.311	5	0.368				
	11	73	0.425	8	0.396				
	12	73	0.966	6	0.680				
0106M1	1	74	2.407	8	1.954	26	1.926		
	2	74	2.747	6	1.897	21	2.152		
	3	73	3.256	3	0.878				
	4	73	2.718	5	1.954				
	5	73	2.520	9	4.955				
	6	73	1.444	9	1.982				
	7	73	0.736	3	0.623				
	8	73	0.396	7	0.510				
	9	73	0.221	4	0.218				
	10	73	0.224	4	0.275				
	11	73	0.297	9	0.963				
	12	73	0.963	5	0.566				
0106J1	1	74	1.897	8	1.529	26	1.501		
	2	74	2.067	11	1.104	26	1.331		
	3	73	1.841	3	0.481				
	4	73	1.557	5	1.104				
	5	73	1.416	9	2.832				
	6	73	0.821	9	1.133				
	7	73	0.425	3	0.340				
	8	73	0.218	7	0.283				
	9	73	0.119	4	0.119				
	10	73	0.122	4	0.147				
	11	73	0.167	9	0.538				
	12	73	0.396	5	0.311				
	1	74	1.074	8	0.850	26	0.850		
	2	74	1.161	11	0.623	26	0.736		

07/22/76

TRIBUTARY FLOW INFORMATION FOR ALABAMA

LAKE CODE 0106 LAY LAKE

MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
0106ZZ	3	73	23.843	3	7.079	4	9.628	30	15.574
	4	73	20.398	5	15.064	7	53.802		
	5	73	19.199	5	10.336	9	34.830	14	11.185
	6	73	11.327	3	10.194	9	15.291	12	19.660
	6	73	11.327	13	28.317				
	7	73	6.173	3	5.239	10	5.663	14	10.477
	7	73	6.173	21	5.239				
	8	73	3.399	7	4.248	9	4.955	25	2.350
	9	73	1.982	8	1.897	9	1.926		
	10	73	1.982	4	2.407	5	2.294		
	11	73	2.690	8	2.435	9	7.747		
	12	73	5.663	5	4.757	6	4.106	9	2.520
	12	73	5.663	16	4.531				
	1	74	14.923	4	12.459	26	11.751		
	2	74	24.069	6	11.610	11	8.778	21	13.309

07/22/76

TRIBUTARY FLOW INFORMATION FOR ALABAMA

LAKE COHE 010R MITCHELL RESERVOIR

TOTAL DRAINAGE AREA OF LAKE (SQ KM) 25325.0

TRIBUTARY	SUB-DRAINAGE AREA (SQ KM)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
010RA1	25325.0	676.06	812.04	930.32	668.84	471.79	251.88	228.35	199.27	174.77	191.05	225.63	504.66	442.79
010RA2	23387.7	553.40	715.40	840.47	649.39	416.09	236.84	213.68	176.64	161.97	174.38	242.85	486.63	402.24
010RA3	26.7	0.991	1.586	1.149	0.963	0.425	0.150	0.181	0.091	0.091	0.082	0.193	0.566	0.536
010RA4	113.4	4.67	7.22	5.52	4.53	2.04	0.74	0.88	0.45	0.45	0.40	0.93	2.69	2.51
010RA5	204.4	6.40	11.19	8.21	6.51	2.55	0.82	0.99	0.45	0.45	0.40	1.08	3.54	3.53
010RA6	247.5	5.66	7.50	8.92	8.30	3.96	2.35	2.12	1.30	0.93	0.91	1.98	3.68	3.96
010RA7	963.5	22.65	28.88	33.70	32.00	16.42	10.48	9.49	6.23	4.67	4.53	8.78	15.29	16.01
010RA8	341.9	7.93	10.34	12.03	11.33	5.80	3.74	3.40	2.21	1.64	1.61	3.17	5.49	5.70

SUMMARY

TOTAL DRAINAGE AREA OF LAKE = 25325.0
SUM OF SUB-DRAINAGE AREAS = 25325.0

TOTAL FLOW IN = 5236.45
TOTAL FLOW OUT = 5334.65

MEAN MONTHLY FLOWS AND DAILY FLOWS (CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
010RA1	3	73	913.501	3	290.531				
	4	73	1117.383	7	1874.575				
	5	73	981.462	5	456.184				
	6	73	657.517	3	915.484				
	7	73	333.006	14	285.434				
	8	73	203.032	25	203.598				
	9	73	149.966	9	77.871				
	10	73	204.929	21	0.0				
	11	73	247.206	18	42.277				
	12	73	575.681	9	230.669				
	1	74	1245.375	5	1203.460	19	931.624		
	2	74	1146.832	2	965.604	16	1557.427		
010RA2	3	73	913.501	3	330.174				
	4	73	962.490	7	1440.761				
	5	73	856.072	5	340.085				
	6	73	564.355	3	831.666				
	7	73	279.006	14	242.675				
	8	73	206.685	25	224.836				
	9	73	130.796	9	34.263				
	10	73	149.128	21	92.596				
	11	73	221.211	18	30.016				
	12	73	512.818	9	92.313				
	1	74	1093.596	5	1022.238	19	866.779		
	2	74	993.921	2	883.202	16	1277.090		

01/22/76

TRIBUTARY FLOW INFORMATION FOR ALABAMA

LAKE COLE D104 MITCHELL RESERVOIR

MEAN MONTHLY FLOWS AND DAILY FLOWS (CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW
010H01	3	73	1.557	3	1.359		
	4	73	1.501	7	3.455		
	5	73	0.850	5	0.340		
	6	73	0.272	3	0.311		
	7	73	0.272	14	0.195		
	8	73	0.210	25	0.051		
	9	73	0.031	9	0.034		
	10	73	0.031	21	0.020		
	11	73	0.396	18	0.023		
	12	73	1.104	9	0.396		
	1	74	1.642	5	1.501	19	0.680
	2	74	1.359	2	0.793	16	2.973
010H01	3	73	7.079	3	6.088		
	4	73	6.824	7	15.038		
	5	73	3.964	5	1.586		
	6	73	1.303	3	1.529		
	7	73	1.303	14	0.934		
	8	73	1.019	25	0.263		
	9	73	0.153	9	0.176		
	10	73	0.161	21	0.105		
	11	73	1.869	18	0.119		
	12	73	5.097	9	1.982		
	1	74	7.504	5	6.853	19	3.115
010H01	2	74	6.286	2	3.738	16	13.309
	3	73	10.982	3	9.486		
	4	73	10.506	7	26.051		
	5	73	5.027	5	1.982		
	6	73	1.557	3	1.869		
	7	73	1.557	14	1.076		
	8	73	1.149	25	0.249		
	9	73	0.136	9	0.159		
	10	73	0.144	21	0.088		
	11	73	2.350	18	0.102		
	12	73	7.504	9	2.549		
010H01	1	74	11.093	5	10.760	19	4.112
	2	74	9.628	2	5.210	16	22.370
	3	73	15.801	3	3.823		
	4	73	13.026	7	37.065		
	5	73	11.950	5	5.890		
	6	73	6.654	3	5.890		
	7	73	3.256	14	6.003		
	8	73	1.642	25	1.104		
	9	73	0.878	9	0.850		
	10	73	0.906	21	0.623		
	11	73	1.244	18	0.736		
	12	73	2.973	9	1.189		
010H01	1	74	9.061	5	13.026	19	2.775
	2	74	9.628	2	5.097	16	23.202

07/22/76

TRIBUTARY FLOW INFORMATION FOR ALABAMA

LAKE CODE 0104 MITCHELL RESERVOIR

MEAN MONTHLY FLOWS AND DAILY FLOWS (CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW
0104F1	3	73	55.214	3	15.857		
	4	73	46.723	7	126.010		
	5	73	43.042	5	23.220		
	6	73	26.051	3	23.220		
	7	73	13.875	14	23.746		
	8	73	7.646	25	5.324		
	9	73	4.474	9	4.332		
	10	73	4.531	21	3.171		
	11	73	5.947	18	3.964		
	12	73	12.743	9	5.663		
	1	74	33.940	5	46.440	14	12.035
	2	74	35.396	2	20.342	16	22.119
0104F2	3	73	19.255	3	5.663		
	4	73	16.424	7	44.741		
	5	73	15.319	5	4.212		
	6	73	9.253	3	4.212		
	7	73	4.955	14	4.353		
	8	73	2.747	24	1.447		
	9	73	1.546	9	1.557		
	10	73	1.614	21	1.133		
	11	73	2.142	18	1.344		
	12	73	4.531	9	2.034		
	1	74	12.035	5	16.141	19	4.248
	2	74	12.743	2	7.221	16	24.600

APPENDIX C
PHYSICAL AND CHEMICAL DATA

STONEY METEORITE DATE 7/6/07/22

010601
33 11 45.0 086 28 45.0 3
LAY LAKE
01121 ALABAMA

033591

DATE FROM TO	TIME OF DAY	DEPTH FEET	WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CONDUCTIVITY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT N KjEL N MG/L	00630 NO2+NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/06/06	16 15 0000	16 15 0005	25.0		19	115	7.20	42	0.150	0.600	0.300	0.045
	16 15 0015	16 15 0020	25.0	5.6		110	7.20	42	0.130	0.400	0.290	0.039
	16 15 0024	16 15 0029	25.1	5.7		115	7.20	42	0.140	0.300	0.290	0.038
73/08/29	10 45 0000	10 45 0005	29.6		34	172	7.30	57	0.120	0.400	0.260	0.038
	10 45 0022	10 45 0027	29.3	4.0		170	7.30	55	0.040	0.500	0.140	0.027
	10 45 0031	10 45 0036	29.3	4.0		172	7.20	55	0.060	0.300	0.150	0.023
73/10/31	09 13 0000	09 13 0005	20.0		18	140	7.20	48	0.040	0.200	0.160	0.021
	09 13 0015	09 13 0020	20.1	5.2		140	7.20	47	0.030	0.200	0.160	0.067
	09 13 0021	09 13 0026	20.0	5.2		140	7.20	48	0.030	0.500	0.390	0.056
											0.300	0.055
												0.053

34<

DATE FROM TO	TIME OF DAY	DEPTH FEET	WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CONDUCTIVITY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT N KjEL N MG/L	00630 NO2+NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/06/06	16 15 0000	16 15 0005	25.0		19	115	7.20	42	0.150	0.600	0.300	0.045
	16 15 0015	16 15 0020	25.0	5.6		110	7.20	42	0.130	0.400	0.290	0.039
	16 15 0024	16 15 0029	25.1	5.7		115	7.20	42	0.140	0.300	0.290	0.038
73/08/29	10 45 0000	10 45 0005	29.6		34	172	7.30	57	0.120	0.400	0.260	0.038
	10 45 0022	10 45 0027	29.3	4.0		170	7.30	55	0.040	0.500	0.140	0.027
	10 45 0031	10 45 0036	29.3	4.0		172	7.20	55	0.060	0.300	0.150	0.023
73/10/31	09 13 0000	09 13 0005	20.0		18	140	7.20	48	0.040	0.200	0.160	0.021
	09 13 0015	09 13 0020	20.1	5.2		140	7.20	47	0.030	0.200	0.160	0.067
	09 13 0021	09 13 0026	20.0	5.2		140	7.20	48	0.030	0.500	0.390	0.056
											0.300	0.055
												0.053

K VALUE KNOWN TO BE
LESS THAN INDICATED

STREET WATER LEVEL DATE 7/6/72

010002
32 54 00.0 046 30 50.0 3
LAY LAKE
01037 ALABAMA
013592

DATE FROM TO	TIME OF DAY	DEPTH FEET	WATER TEMP C/F	00010 WATER TEMP C/F	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CONDUCTIVITY FIELD MICROMHO	00400 PH SU	00410 TALK CACO3 MG/L	00410 AM-J-N TOTAL MG/L	00425 TOT N-JEL N MG/L	00430 NO2&NO3 N-TOTAL MG/L	00471 PHOS-UIS UNITMG MG/L P
7/10/67	09 50	0000	25.4	25.4	6.0	20	130	6.40	42	0.300	0.600	0.310	0.039
	09 50	0005	25.4	25.4	5.8		105	7.00	41	0.120	0.300	0.270	0.031
	09 50	0015	25.4	25.4	5.8		105	7.00	42	0.140	0.400	0.290	0.032
	09 50	0045	25.4	25.4	5.0		105	7.00	43	0.140	0.300	0.300	0.033
7/10/72	09 50	0075	25.0	25.0	5.0	56	105	6.40	42	0.160	0.300	0.280	0.034
	09 30	0000	30.2	30.2			156	6.20	51	0.050	1.200	0.040	0.007
	09 30	0005	30.1	30.1	7.2		155	7.60	52	0.030	0.600	0.040	0.010
	09 30	0015	29.5	29.5	4.8		154	7.33	52	0.050	0.500	0.060	0.009
7/10/73	09 30	0030	29.5	29.5	6.0		154	7.20	51	0.050	0.500	0.060	0.009
	09 30	0045	29.4	29.4	3.1		151	7.10	52	0.060	0.500	0.110	0.011
	09 30	0055	29.3	29.3	2.6		150	7.10	51	0.070	0.500	0.150	0.013
	10 05	0003	29.3	29.3	2.0	37	152	7.00	50	0.110	0.600	0.140	0.018
7/10/74	10 05	0005	21.3	21.3	5.4		145	7.30	51	0.050	0.200	0.280	0.025
	10 05	0015	21.3	21.3	5.6		145	7.30	51	0.040	0.400	0.270	0.021
	10 05	0040	21.3	21.3	5.6		143	7.20	52	0.040	0.300	0.280	0.023
	10 05	0074	21.3	21.3	5.8		148	7.20	53	0.040	0.300	0.280	0.024

DATE FROM TO	TIME OF DAY	DEPTH FEET	PHOS-TOT MG/L P	03665 PHOS-TOT MG/L P	32217 CONDUCTIVITY A MG/L
7/10/77	09 50	0000	0.044	0.044	6.0
	09 50	0005	0.074	0.074	
	09 50	0015	0.077	0.077	
	09 50	0045	0.074	0.074	
7/10/78	09 50	0075	0.076	0.076	10.9
	09 30	0000	0.036	0.036	
	09 30	0005	0.023	0.023	
	09 30	0015	0.020	0.020	
7/10/79	09 30	0030	0.024	0.024	
	09 30	0050	0.026	0.026	
	09 30	0065	0.030	0.030	
	09 30	0075	0.037	0.037	
7/10/80	10 05	0000	0.052	0.052	4.6
	10 05	0005	0.053	0.053	
	10 05	0015	0.051	0.051	
	10 05	0040	0.055	0.055	

STORET RETRIEVAL DATE 7/6/72

010003
 11 04 05.0 046 10 55.0 3
 LAY LAKE
 01037 ALABAMA
 033541

DATE FROM TO		TIME OF DAY	DEPTH FEET	WATER TEMP CENT	30010 DO MG/L	60077 TRANSP SECCHI INCHES	60044 CONDUCTIVITY FIELD MICROHOS	80400 PH SU	80410 T ALK CALCI MG/L	80410 NAJ-N TOTAL MG/L	80625 TOT R-JEL N MG/L	80630 NO3-N-TOTAL MG/L	80671 PHOS-DIS ORTHO MG/L P
7/6/67	10 45 0000	10 45 0015	25.6	25.6	5.6	19	185	7.00	44	0.140	0.400	0.300	0.035
				25.5	5.6		185	7.00	42	0.120	0.400	0.310	0.033
				25.4	5.6		185	6.90	44	0.120	0.400	0.260	0.033
				25.4	5.2	33	185	6.90	47	0.120	0.400	0.270	0.033
7/6/67	10 15 0000	10 15 0015	29.9	30.0			173	7.30	55	0.040	0.400	0.070	0.013
				29.9	4.6		172	7.23	55	0.050	0.400	0.070	0.013
				29.8	4.6		171	7.10	55	0.070	0.400	0.090	0.011
				29.7	4.2	27	171	7.10	55	0.070	0.400	0.350	0.056
7/6/67	04 14 0000	04 14 0015	26.3	26.3	5.6		141	7.30	47	0.040	0.400	0.340	0.050
				26.3	5.6		142	7.20	46	0.050	0.400	0.340	0.053
				26.3	5.6		141	7.20	44	0.060	0.400	0.340	0.053
				26.3	5.4		140	7.33	47	0.060	0.400	0.330	0.046

DATE FROM TO		TIME OF DAY	DEPTH FEET	PHOS-TOT MG/L P	32217 CALCIUM MG/L
7/6/67	10 45 0000	10 45 0015	25.6	3.076	4.6
				3.082	
				3.082	
				3.091	
7/6/67	10 15 0000	10 15 0015	29.9	3.054	12.9
				3.033	
				3.034	
				3.035	
7/6/67	04 14 0000	04 14 0015	26.3	3.093	4.7
				3.086	
				3.086	
				3.097	

SAMPLE INTERVAL DATE 7/6/07/22

010401
32 in 10.0 006 24 45.0 3
MITCHELL LAKE
01037 ALABAMA
033501

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CONDUCTIVITY FIELD MICROHMO	00400 PH SU	00410 T ALK CAC03 MG/L	00410 NH3-N TOTAL MG/L	00425 TOT N-JEL N MG/L	00430 NO2+NO3 N-TOTAL MG/L	00471 PHOS-UIS ORTMO MG/L P
7/3/06/06	10 15 0000	10 15 0000	25.8	7.8	24	145	6.60	36	0.130	0.900	0.230	0.027
		10 15 0005	25.7	7.8		105	6.90	35	0.160	0.700	0.260	0.032
		10 15 0015	25.0	6.4		115	7.00	35	0.160	0.300	0.260	0.031
		10 15 0040	24.6	6.2		115	7.00	36	0.130	0.300	0.250	0.030
7/3/06/23	10 15 0005	10 15 0005	24.2	5.8	45	100	7.00	34	0.150	0.300	0.240	0.027
		10 15 0015	24.9	6.0		136	8.60	49	0.050	1.000	0.050	0.010
		10 15 0030	24.3	6.0		136	7.40	49	0.050	0.400	0.060	0.013
		10 15 0045	24.2	5.0		134	7.20	50	0.060	0.400	0.080	0.015
7/3/10/31	12 05 0000	10 15 0005	26.5	2.6	37	116	7.00	43	0.130	0.000	0.100	0.024
		12 05 0005	21.4	6.4		144	7.50	54	0.010K	0.400	0.200	0.019
		12 05 0015	21.5	6.4		144	7.40	54	0.010K	0.200	0.210	0.007
		12 05 0040	21.4	6.2		146	7.40	54	0.010K	0.300	0.240	0.016
7/3/06/06	10 15 0000	10 15 0000	0.049	5.7		146	7.30	54	0.010K	0.300	0.210	0.020
		10 15 0005	0.066				7.20	51	0.030	0.300	0.230	0.020
		10 15 0015	0.075									
		10 15 0040	0.074									
7/3/06/23	10 15 0000	10 15 0000	0.054	12.4								
		10 15 0015	0.035									
		10 15 0030	0.033									
		10 15 0045	0.073									
7/3/10/31	12 05 0000	10 15 0005	0.051	4.6								
		12 05 0005	0.051									
		12 05 0015	0.049									
		12 05 0040	0.053									
7/3/06/06	10 15 0000	10 15 0000	0.051									
		10 15 0005	0.051									
		10 15 0015	0.051									
		10 15 0040	0.051									

37<

K VALUE KNOWN TO BE LESS THAN INDICATED

STORET RETRIEVAL DATE 76/07/22

010802
32 51 15.0 086 27 00.0 3
MITCHELL LAKE
01037 ALABAMA

033591

11EPALES 2111202
0035 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CONDUCTVY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2&NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/06/06	13 30 0000		25.6		24	115	7.10	36	0.180	0.600	0.270	0.035
	13 30 0005		25.3	6.4		110	7.20	38	0.150	0.400	0.260	0.031
	13 30 0015		25.1	6.0		110	7.10	37	0.120	0.400	0.260	0.033
73/08/29	13 30 0030		25.0	6.0	40	110	7.10	39	0.120	0.300	0.250	0.030
	16 45 0000		29.8	6.8		143	7.60	54	0.060	0.900	0.080	0.013
	16 45 0015		29.1	4.6		141	7.00	53	0.070	0.500	0.140	0.027
73/10/31	16 45 0030		29.0	4.2		141	7.00	52	0.080	0.300	0.150	0.036
	16 45 0042		29.1	4.2	39	141	7.10	52	0.090	0.300	0.160	0.030
	12 28 0000		21.1	6.4		146	7.40	53	0.040	0.400	0.270	0.020
73/10/31	12 28 0005		21.2	6.2		146	7.40	52	0.030	0.300	0.270	0.021
	12 28 0015		21.1	6.2		147	7.30	55	0.030	0.300	0.260	0.027
	12 28 0036		21.1	6.2		147	7.30	57	0.020	0.300	0.280	0.021

38A

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLOROPHYL A UG/L
73/06/06	13 30 0000		9.087	6.3
	13 30 0005		0.084	
	13 30 0015		0.084	
73/08/29	13 30 0030		9.085	
	16 45 0000		0.043	5.2
	16 45 0015		0.049	
73/10/31	16 45 0030		0.057	
	16 45 0042		0.053	4.3
	12 28 0000		0.049	
73/10/31	12 28 0005		0.050	
	12 28 0015		0.053	
	12 28 0036		0.050	

SHEET MET-LEVEL DATE 7/6/07/22

010003
32 54 30.0 086 30 00.0 3
MITCHELL LAKE
01017 ALABAMA

033592

11EPALES
0035 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	WATER TEMP CENT	00100 DU MG/L	00077 TRANSP SECCHI INCHES	60044 CONDUCTIVITY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2+NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
7/3/06/06	14 10 0000		25.4	6.4	19	110	7.20	38	0.160	0.600	0.260	0.034
	14 10 0005		25.4	6.4		110	7.20	40	0.120	0.300	0.250	0.031
	14 10 0015		25.3	6.4		110	7.20	40	0.120	0.300	0.250	0.031
7/3/06/24	14 10 0031		25.2	6.3	38	105	7.20	38	0.110	0.300	0.240	0.036
	17 15 0000		20.7	5.6		149	7.20	54	0.130	0.500	0.120	0.014
	17 15 0008		20.5	5.4		147						
	17 15 0015		20.5	5.4		148	7.10	55	0.080	0.400	0.120	0.014
7/3/10/31	10 20 0000		21.0	5.8	36	143	7.10	55	0.060	0.400	0.100	0.016
	10 20 0005		21.0	6.2		144	7.30	53	0.040	0.400	0.270	0.022
	10 20 0015		21.0	6.2		144	7.30	54	0.010K	0.300	0.240	0.009
	10 20 0036		21.1	6.4		145	7.20	54	0.010K	0.300	0.260	0.020
								54	0.010K	0.200	0.260	0.021

DATE FROM TO	TIME OF DAY	DEPTH FEET	00465 PHOS-TOT MG/L P	32217 CHLOROPHYL A UG/L
7/3/06/06	14 10 0000		0.048	5.7
	14 10 0005		0.076	
	14 10 0015		0.044	
7/3/06/24	14 10 0031		0.047	7.7
	17 15 0000		0.040	
	17 15 0015		0.034	
7/3/10/31	10 20 0000		0.057	4.0
	10 20 0005		0.053	
	10 20 0015		0.052	
	10 20 0036		0.054	

A VALUE KNOWN TO BE
LESS THAN INDICATED

APPENDIX D
TRIBUTARY AND WASTEWATER
TREATMENT PLANT DATA

STORET RETRIEVAL DATE 76/07/22

U106A1 LS0106A1
32 5M 00.0 086 31 00.0 4
COOSA RIVER
01 MAP CHILTON CO 033592
W/LAY LAKE
MINISTREAM FROM FERRY S OF LAY DAM
11C PALES 2111204
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	09630 NO2%NO3 N-TOTAL	00625 TOT KJEL N	00610 NH3-N TOTAL	00671 PHOS-DIS URTHO	00665 PHOS-TOT
			MG/L	MG/L	MG/L	MG/L P	MG/L P
73/03/03	01 45		0.300	2.600	0.105	0.033	0.075
73/04/07	10 05		0.230	0.810	0.310	0.042	0.090
73/05/05	09 40		0.210	0.940	0.132	0.033	0.080
73/06/03	09 45		0.176	1.390	0.250	0.033	0.090
73/07/14	09 55		0.250	0.300	0.052	0.030	0.067
73/08/25	09 00		0.069	0.270	0.042	0.011	0.042
73/09/09	11 45		0.086	0.530	0.040	0.014	0.050
73/10/21	10 00		0.210	0.400	0.024	0.023	0.045
73/11/14	10 00		0.330	0.500	0.025	0.052	0.065
73/12/09	09 20		0.270	0.300	0.056	0.052	0.095
74/01/05	10 10		0.264	0.300	0.052	0.072	0.130
74/01/19	09 40		0.312	0.400	0.092	0.070	0.165
74/02/02	14 50		0.350	0.500	0.050	0.040	0.040
74/02/16	10 00		0.336	0.800	0.120	0.035	0.045

STWET RETRIEVAL DATE 76/07/22

910642 L5010642
 33 97 30.0 046 22 00.0 4
 COOSA RIVER
 01 MAP SHELBY CO 033591
 1/LAY LAKE
 MARK 175 FT HELD HWY 280 M006
 116PALES 2111204
 0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	30630 NO2&NO3 V-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	07671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/03	12 00		0.300	1.050	0.060	0.054	0.100
73/03/30	10 25		0.294	3.400	0.160	0.040	0.100
73/05/14	10 30		0.154	2.400	0.070	0.036	0.047
73/06/12	04 30		0.231	0.630	0.066	0.054	0.100
73/07/03	11 15		0.154	4.400	0.176	0.021	0.060
73/04/07	13 30		0.120	0.520	0.069	0.037	0.050
73/04/06	17 45		0.069	0.290	0.013	0.019	0.060
73/12/25	11 45		0.220	0.320	0.025	0.032	0.070
73/11/14	11 30		0.390	0.450	0.044	0.060	0.075
73/12/06	12 20		0.270	0.600	0.052	0.064	0.095
74/01/04	12 40		0.244	0.350	0.044	0.044	0.110
74/01/26	04 45		0.430	0.400	0.056	0.044	0.105
74/02/06	12 25		0.368	0.100	0.035	0.045	0.080
74/02/21	17 40		0.300	0.200	0.045	0.040	0.045

STORET RETRIEVAL DATE 7/6/07/22

010601 LS010601
 JJ 02 30.0 086 35 30.0 4
 WAXAMATCHEE CREEK
 01 MAP CHILTON CO
 T/LAY LAKE 033591
 CU WT 145 APPROX 12 MI N OF CLANTON
 11EPALES 2111204
 0000 FEET DEPTH CLASS 90

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO ₂ -N N-TOTAL MG/L	00625 TUT KJEL N MG/L	00610 NH ₃ -N TOTAL MG/L	00671 PHOS-DIS ORTHOP MG/L P	00665 PHOS-TOT MG/L P
73/03/03	15 30		0.017	1.680	0.190	0.014	0.045
73/04/07	09 15		0.075	2.600	0.860	0.030	0.160
73/05/05	11 00		0.046	0.380	0.029		0.035
73/06/03	10 40		0.036	0.385	0.120	0.011	0.055
73/07/14	11 00		0.010K	0.390	0.023	0.007	0.035
73/08/25	10 00		0.010K	0.400	0.018	0.008	0.035
73/09/09	10 40		0.010K	0.600	0.015	0.005K	0.040
73/10/21	11 00		0.019	0.550	0.015	0.007	0.030
73/11/18	11 10		0.088	0.550	0.022	0.005K	0.010
73/12/09	10 35		0.120	0.300	0.032	0.00H	0.045
74/01/05	10 45		0.132	0.400	0.068	0.016	0.030
74/01/19	11 00		0.144	0.900	0.156	0.010	0.050
74/02/02	16 00		8.700	1.100	0.130	0.015	0.040
74/02/16	11 38		0.076	0.800	0.055	0.015	0.045

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STORET RETRIEVAL DATE 7/6/07/22

010601
J3 09 30.0 0M6 32 00.0 4
LITTLE BEES CREEK
01 MAP SHELBY CO
1/2 LAY LAKE
PLUS ON 20 1.5 MI SE KINGDOM CROSSROADS
11FPALES 2111204
0900 FEET DEPTH CLASS 60
043591

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2-N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS OPTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/04	13 35		0.220	0.560	0.032	0.006	0.025
73/04/01	14 15		0.052	1.500	0.092	0.028	0.045
73/05/14	14 35		0.270	0.170	0.020	0.014	0.020
73/06/13	14 50		0.140	0.340	0.013	0.024	0.030
73/07/10	10 00		0.440	0.420	0.054	0.005K	0.015
73/07/09	09 30		0.340	0.300	0.034	0.020	0.040
73/07/04	14 30		0.315	0.170	0.020	0.005K	0.020
73/11/05	17 50		0.240	0.460	0.060	0.005K	0.035
73/12/05			0.054	0.650	0.034	0.006	0.045
74/01/01	17 45		0.104	0.200	0.012	0.004	0.020
74/01/24	11 30		0.142	0.300	0.012	0.004	0.035
74/02/13	10 00		0.312	0.100K	0.024	0.004	0.030
74/03/01	17 00		3.344	0.100	0.020	0.015	0.015
			0.168	0.400	0.025	0.010	0.075

K VALUE KNOWN TO BE LESS THAN INDICATED

STORE RETRIEVAL DATE 76/07/22

010601 15010601
 33 11 00.0 046 32 40.0 4
 DEESWAX CREEK
 01 MAP SHELBY CO 033591
 T/ALAY LAKE
 116PALES 2111204
 0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00633 NO ₂ NO ₃ N-TOTAL	00625 TOT KjEL N	00610 NH ₃ -N TOTAL	00671 PHOS-015 UMTHO	00665 PHOS-101
			MG/L	MG/L	MG/L	MG/L	MG/L
73/03/04	13 50		0.240	1.700	0.054	0.009	0.035
73/04/07	14 00		0.069	3.500	0.180	0.076	0.165
73/05/14	14 35		0.350	0.230	0.027	0.017	0.025
73/05/13	14 00		0.320	0.320	0.018	0.019	0.025
73/07/10	09 45		0.240	0.300	0.019	0.009	0.015
73/08/04	09 00		0.194	0.295	0.012	0.023	0.040
73/09/06	10 41		0.086	0.170	0.011	0.005K	0.020
73/10/04	15 45		0.096	0.520	0.032	0.009	0.025
73/11/05	14 00		0.015	0.800	0.017	0.009	0.030
73/12/05			0.232	0.200	0.016	0.016	0.016
74/01/07	14 05		0.240	0.400	0.020	0.024	0.060
74/01/24	11 00		0.350	0.400	0.044	0.024	0.060
74/02/13	09 30		0.360	0.500	0.025	0.010	0.015
74/03/01	17 30		0.216	0.100	0.015	0.005	0.030

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STREET RETRIEVAL DATE 7/6/07/22

210621 LS0106E1
 33 06 00.0 046 27 00.0 4
 YELLOWLEAF CREEK
 01 MAP SHELBY CO
 1/LAY LAKE
 ST HWY 25 4000 3 MI E OF WILSONVILLE
 110000 2111204
 0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-UIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
7/3/03/04	14 15		0.126	0.440	0.044	0.014	0.060
7/3/04/07	13 00		0.074	2.700	0.120	0.024	0.045
7/3/05/14	14 50		0.115	0.460	0.033	0.013	0.030
7/3/06/13	14 15		0.092	0.420	0.005K	0.011	0.035
7/3/07/10	04 50		0.014	0.460	0.026	0.007	0.055
7/3/08/04	10 00		0.016	0.440	0.022	0.011	0.050
7/3/09/06	10 00		0.010K	0.490	0.011	0.005K	0.045
7/3/10/04	15 30		0.038	0.720	0.025	0.005K	0.050
7/3/11/07	14 20		0.168	0.500	0.027	0.006	0.065
7/3/12/07			0.092	0.300	0.020	0.004	0.020
7/4/01/07	14 23		0.168	0.300	0.024	0.016	0.045
7/4/01/24	10 10		0.160	0.100	0.032	0.012	0.040
7/4/02/13	04 00		0.192	0.100	0.020	0.010	0.025
7/4/03/01	14 00		0.232	0.550	0.020	0.005	0.061

R VALUE KNOWN TO BE
 LESS THAN INDICATED

STORET RETRIEVAL DATE 76/07/22

0106F1 LS0106F1
33 14 30.0 086 25 00.0 4
KANATCHEE CREEK
01 MAP TALLADEGA CO 033591
T/LAY LAKE
MUG ON HU 3 MI SW OF CHILDEERSBURG
11EPALES 2111204
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2-N N-TOTAL MG/L	00625 TOT N N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/03	09 40		0.087	1.700	0.063	0.010	0.025
73/03/30	10 10		0.050	2.300	0.069	0.005K	0.015
73/05/14	09 50		0.070	0.750	0.021	0.007	0.015
73/06/12	08 45		0.088	0.730	0.115	0.008	0.015
73/07/03	09 30		0.132	0.250	0.032	0.008	0.025
73/08/07	13 00		0.074	0.310	0.019	0.021	0.050
73/09/04	15 45		0.027	0.210	0.017	0.006	0.017
73/13/05	11 00		0.039	0.300	0.021	0.005K	0.025
73/11/08	10 30		0.010K	0.850	0.018	0.011	0.025
73/12/06	11 45		0.028	0.500	0.020	0.005K	0.020
74/01/08	11 55		0.064	0.200	0.010	0.006	0.015
74/01/26	08 00		0.056	0.100K	0.012	0.008	0.008
74/02/06	11 45		0.044	0.100K	0.010	0.010	0.010
74/02/21	16 45		0.056	0.500	0.040	0.005	0.015

K VALUE KNOWN TO BE
LESS THAN INDICATED

STOMET RETRIEVAL DATE 7/6/07/22

019601 LS010601
 33 39 00.0 086 24 30.0 4
 CEDAR CREEK
 UT MAP TALLADEGA CO 033591
 T/LAY LAKE
 CEDAR CREEK RD HWDG 1 MI N OF FAYETTEVILLE
 HEPALES 2111204
 0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS URTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/03	10 10		0.220	1.540	0.048	0.005K	0.040
73/03/30	09 45		0.189	2.520	0.154	0.012	0.060
73/05/14	10 05		0.022	1.400	0.026	0.006	0.040
73/06/12	09 10		0.010K	1.300	0.014	0.008	0.075
73/07/21	09 45		0.010K	0.440	0.006	0.006	0.045
73/08/07	10 15		0.010K	0.960	0.028	0.007	0.035
73/09/06	16 00		0.010K	0.750	0.036	0.006	0.035
73/10/05	11 20		0.010K	0.560	0.017	0.005K	0.045
73/11/04	11 30		0.140	1.800	0.044	0.012	0.095
73/12/06	11 55		0.076	0.400	0.016	0.005K	0.020
74/01/08	1 15		0.204	0.400	0.056	0.024	0.075
74/01/24	04 10		0.284	0.450	0.020	0.005K	0.275
74/02/04	12 02		0.208	0.200	0.010	0.005	0.030
74/02/21	17 00		0.216	0.600	0.030	0.010	0.055

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STORET RETRIEVAL DATE 76/07/22

0106M1 LS0106M1
 33 05 30.0 086 26 30.6 4
 PECALM-0000 CREEK
 01 AAP CUOSA CO 033591
 T/LAY LAKE
 BRDG ON RD 2.5 MI NE OF BLUE SPRINGS
 11EPALES 2111204
 0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS URTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/03	10 30		0.040	0.310	0.036	0.018	0.020
73/04/05	15 00		0.063	1.980	0.075	0.009	0.020
73/05/04	16 30		0.069	2.500	0.110	0.020	0.020
73/06/04	23 00		0.032	4.400	0.017	0.011	0.045
73/07/03	10 40		0.068	0.160	0.014	0.008	0.020
73/08/07	11 30		0.048	0.180	0.013	0.012	0.030
73/09/04	09 30		0.044	0.600	0.029	0.010	0.045
73/10/04	15 00		0.035	0.195	0.021	0.005K	0.025
73/11/04	13 15		0.044	0.200	0.017	0.017	0.040
73/12/05	15 00		0.040	1.100	0.020	0.008	0.020
74/01/08	17 00		0.060	0.100	0.008	0.008	0.015
74/01/26	11 00		0.040	0.100K	0.016	0.005K	0.035
74/02/11	17 00		0.052	0.100K	0.010	0.005	0.005
74/12/26	16 30		0.048	0.100K	0.005	0.005K	0.020

K VALUE KNOWN TO BE LESS THAN INDICATED

STREET RETRIEVAL DATE 7/6/01/22

0106J1 LS0106J1
33 01 00.0 CM 28 00.0 4
PAINT GREEN
01 MAP COUSA CO
T/LAY LAKE 0335Y1
HDDG ON MO 2 MI S OF MARBLE VALLEY
11EPALES 2111204
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS URTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/03	11 15		0.010K	1.700	0.050	0.007	0.020
73/04/05	15 20		0.020	1.760	0.053	0.005K	0.010
73/05/09	16 30		0.023	1.760	0.091	0.014	0.020
73/06/04	22 00		0.010K	3.300	0.031	0.005K	0.015
73/07/03	10 40		0.010K	0.440	0.011	0.006	0.015
73/08/07	12 00		0.010K	0.660	0.054	0.007	0.015
73/09/04	09 00		0.010K	0.270	0.030	0.005K	0.005K
73/10/04	16 30		0.035	0.200	0.019	0.005K	0.025
73/11/09	13 35		0.010K	0.700	0.022	0.004	0.022
73/12/05	11 00		0.040	0.300	0.012	0.004	0.020
74/01/04	16 30		0.056	0.100	0.004	0.005K	0.015
74/01/26	10 00		0.084	0.100K	0.020	0.005K	0.030
74/02/11	16 00		0.052	0.100K	0.005K	0.005K	0.010
74/02/26	16 00		0.040	0.100K	0.005	0.005K	0.020

50K

K VALUE KNOWN TO BE LESS THAN INDICATED

STONET RETRIEVAL DATE 76/07/22

0106AA A50106AA P000400

33 13 15.0 006 13 42.0 4
 SYLACAUGA #3 (FAIRMONT)
 01 TALLADEGA CO MAY 033591
 T/LAY LAKE
 TRIB TO TALLASSEE MATCHIE CR
 11EPALES 2141204
 0000 FEET DEPTH CLASS 00

DATE	TIME	DEPTH	NO2-N	00630	00625	00610	00671	00665	50051	50053
FROM	OF	FEET	N-TOTAL	TOT KJEL	NH3-N	PHOS-DIS	PHOS-TOT	PHOS-TOT	FLOW	CONDUIT
TO	DAY		MG/L	N	MG/L	MG/L P	MG/L P	MG/L P	RATE	FLOW-MGD
									INST MGD	MONTHLY
73/07/19			13.600	4.700	2.008	10.500	13.000			
CP(1)-			13.000	3.900	3.322	13.500	16.700			
73/08/21	17	40								
CP(1)-			0.600	7.100	5.300	12.000	14.500			
73/09/26	06	15								
CP(1)-			14.000	1.950	0.710	13.700	16.000			
73/10/23	06	40								
CP(1)-			0.050	7.900	4.100	10.600	11.000			
73/10/23	17	40								
CP(1)-			14.600	0.500K	0.260	9.900	11.500			
73/11/23	17	30								
CP(1)-			12.000	3.300	2.050	10.000	11.500			
73/12/17	05	30								
CP(1)-			8.500	2.000	0.310	5.000	5.400			
74/01/24	16	30								
CP(1)-			11.200	4.350	1.950	8.175	9.290			
74/02/25	08	00								
CP(1)-			1.840	12.000	3.600	11.500	12.000			
74/03/22	06	30								
CP(1)-			18.000	4.600	2.100	12.500	14.500			
74/04/24	16	30								
CP(1)-			14.700	1.59H	0.440	11.000	12.500			
74/05/21	06	30								
CP(1)-										
74/06/26	06	00								
CP(1)-										
74/06/26	18	00								

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STOREY RETRIEVAL DATE 76/07/22

0106AM 140106AB P000300
 JJ 13 49.0 086 12 01.0 4
 SYLACAUGA #2 (OLD FIELD)
 G1 TALLADEGA CO HWY
 T/LAY LAKE 033591
 CROOKED CREEK/TALLASSEE MATCHIE CREEK
 HEPALES 214120+
 0000 FEET DEPTH CLASS 00

00665 PHOS-TOT
 50051 FLOW
 50053 CONDUIT
 RATE FLOW-MGD
 INST MGD MONTHLY

00671 PHOS-DIS
 00671 PHOS-DIS
 00671 PHOS-DIS

00610 NH3-N
 00610 NH3-N
 00610 NH3-N

00625 TOT KJEL
 00625 TOT KJEL
 00625 TOT KJEL

00630 N-TOTAL
 00630 N-TOTAL
 00630 N-TOTAL

DATE	TIME	DEPTH	FROM	TO	DAY	FEET	00630 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS 00671 MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE	50053 CONDUIT FLOW-MGD
73/07/19	06 30						2.700	0.250	0.110	2.100	2.200		
CP111-													
73/07/19	17 20						10.500	0.100K	0.028	7.400	7.500		
CP111-													
73/08/21	17 40						14.200	0.810	0.770	15.400	16.500		
CP111-													
73/08/26	06 30						20.000	0.930	0.420	16.000	16.250		
CP111-													
73/08/26	17 30						10.000	0.500K	0.100	8.700	8.700		
CP111-													
73/10/23	06 40						19.000	0.500K	0.099	12.000	12.500		
CP111-													
73/11/23	06 30						3.360	0.500	0.120	1.840	2.000		
CP111-													
73/12/17	16 30						1.920	2.300	0.610	0.850	1.300		
CP111-													
74/01/24	05 30						7.500	2.000	0.790	3.775	4.375		
CP111-													
74/02/25	04 00						2.000	1.000K	0.220	1.350	1.450		
CP111-													
74/02/25	16 30						5.100	1.000K	0.250	5.100	5.700		
CP111-													
74/03/21	16 30						9.600	2.700	0.035	7.850	7.850		
CP111-													
74/06/26	14 00												

K VALUE ADJUSTED TO HQ
 LESS THAN INDICATED

STORET RETRIEVAL DATE 7/6/07/22

P812200

0106AC 160106AC
 03 10 00.0 006 16 00.0 4
 SYLACAUGA #1
 01 TALLADEGA CO MAY
 T/LAY LAKE
 SHUTEE CREEK
 11EPALES 2141204
 0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO26NO3 N-TOTAL MG/L	00625 TUT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/07/19	06 00								
CP(1)-			1.800	5.800	1.100	4.600	5.700	2.000	
73/07/19	17 00								
CP(1)-			0.680	8.900	1.440	6.300	7.940	2.000	
73/08/21	06 40								
CP(1)-			0.690	8.300	0.990	8.400	9.600	2.000	
73/08/21	17 40								
CP(1)-			1.060	13.000	3.000	8.300	10.000	2.000	
73/09/26	07 00								
CP(1)-			3.100	14.500	5.300	7.200	8.900	2.000	
73/10/23	06 40								
CP(1)-			2.600	16.000	3.500	7.400	10.000	2.000	
73/10/23	17 40								
CP(1)-			0.720	5.400	0.460	2.200	3.100	2.000	
73/11/23	06 30								
CP(1)-			0.074	12.000	0.315	4.175	6.050	2.000	
73/11/23	17 30								
CP(1)-			0.040	12.000	0.665	4.300	6.200	2.000	
73/12/17	05 30								
CP(1)-			0.240	16.000	3.450	7.000	9.000	2.000	
73/12/17	16 30								
CP(1)-			0.160	14.000	4.700	7.700	8.900	2.000	
74/02/25	08 00								
CP(1)-									
74/02/25	16 00								
CP(1)-									
74/03/22	06 30								
CP(1)-									
74/03/22	17 30								
CP(1)-									
74/04/24	05 30								
CP(1)-									
74/04/24	16 30								
CP(1)-									
74/05/21	06 30								
CP(1)-									
74/05/21	16 30								
CP(1)-									
74/06/26	06 00								
CP(1)-									
74/06/26	18 00								
CP(1)-									

STORE1 RETRIEVAL DATE 76/07/22

0126AD ST0106AD P000214
 33 16 30.0 0MB 21 00.0 4
 RDP, AIN
 01 TALLADEGA CO HWY 033591
 T/LAY LAKE
 GRIFFEN BRANCH
 HEPALES 2141204
 0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO26NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS URTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/04/04	08 15		0.460	1.000	0.005K	0.250	0.310	0.072	0.072
73/05/17	10 00		0.550	10.500	0.840	1.600	2.600	0.072	0.072
73/06/11	10 00		0.360	7.600	0.490	1.500	2.400	0.072	0.072
73/06/13	09 30		0.070	10.000	2.900	3.900	6.000	0.072	0.072
73/07/10	09 00		0.052	32.300	6.400	4.600	6.100	0.072	0.072
73/10/04	10 00		0.060	7.000	0.072	1.050	2.200	0.072	0.072
73/11/05	10 45		0.210	9.000	0.072	1.320	2.950	0.072	0.072
73/12/10	08 00		0.080	10.500	0.066	1.470	2.200	0.072	0.072
74/01/14	09 00		1.400	5.600	0.040K	0.300	0.420	0.072	0.072
74/02/11	08 30							0.072	0.072
74/03/04	10 30		0.760	14.000	0.050K	1.580	2.800	0.072	0.072

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STREET RETRIEVAL DATE 7/6/77/22

0105AF P00106AF P004000
 33 17 30.0 046 22 00.0 4
 CHILUENSHUNG WEST
 01 TALLADEGA CO HWY 033591
 T/LAY LAKE
 DAILEYS BRANCH
 11EPALES 2141204
 0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2PNO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	01610 NH3-N TOTAL MG/L	00671 PHOS-DIS URTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MG/D	50053 CONDUIT FLOW-MGD MONTHLY
7/3/08/10			3.060	8.500	0.180	1.400	6.300	0.350	0.350
7/3/09/10	14 30		0.370	7.420	0.280	4.700	6.300	0.350	0.350
7/3/11/14	10 00		0.260	6.400	0.170	7.900	8.700	0.350	0.350
7/3/12/10	11 00		0.290	8.700	0.210	7.100	8.400	0.350	0.350
7/4/01/15	13 00		0.280	5.000	0.100	4.400	5.400	0.350	0.350
7/4/02/12	11 00		0.320	6.300	0.130	3.600	4.700	0.350	0.350
7/4/03/13	11 00		0.160	5.600	0.410	4.000	4.800	0.350	0.350
7/4/04/09	09 40		0.160	2.000	0.057	3.100	4.350	0.350	0.350
7/4/05/04	10 00		0.080	5.700	0.087	2.200	3.450	0.350	0.350
7/4/06/06	10 00		0.200	6.400	0.050K	4.300	5.250	0.350	0.350
7/4/07/10	11 00		0.150	16.000	0.070	3.300	5.500	0.350	0.350
7/4/08/06	10 30		0.200	14.000	0.450	6.100	4.000	0.350	0.350

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STONE RETRIEVAL DATE 76/07/22

010654 A501054A P0016559
 33 06 00.0 G46 45 00.0 4
 CALEMA
 01 SHELBY CO MAY 013042
 1/14Y LAKE
 MAXAMATCHEE CREEK
 HEPALES 2141204
 0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL	00624 TOT KJEL N	00610 NH3-N TOTAL	00671 PHOS-DIS OMTHO	00665 PHOS-TOT	50051 FLOW RATE INST MGD	50053 CONDUIT FLOW-MGD MONTHLY
73/05/04	11 00		10.500	1.100	0.183	4.269	4.200	0.125	
73/07/31	08 00		0.014	1.550	0.110	4.500		0.153	0.150
73/10/02	10 30		4.500	1.200	0.075	4.500	4.000	0.111	0.117
74/01/01	10 00		7.800	0.500K	0.040K	5.700	5.800	0.117	0.110
74/02/04	11 00		4.300	1.000K	0.040K	4.200	6.600	0.112	0.130
74/03/15	04 30		20.000	1.000K	0.126	10.000	10.000	0.012	0.123
74/07/21	07 00		5.400	15.000	6.750	6.500	4.500	0.100	0.117

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STREET RETRIEVAL DATE 7/4/07/22

010684 P0010584 P003000
 33 00 30.0 046 36 00.0 4
 COLUMBIANA
 VI SHELBY CO MAP 013541
 T/LAY LAKE
 TOWN CREEK
 HEMPALES
 0000 FEET DEPTH CLASS 00

DATE	TIME	DEPTH	NO. ANALYSIS	TOT KJEL	00610	07671	00665	50051	50053
FROM	OF		N-TOTAL	N	NH3-N	PHOS-DIB	PHOS-TOT	FLOW	CONDUIT
TO	DAY	FEET	MG/L	MG/L	MG/L	MG/L	MG/L	RATE	FLOW-MGD
								INST MOD	MONTHLY
73/09/17	11	00	0.046	17.600	0.250	6.760	8.850	0.320	0.320
73/10/30	13	30	0.063	11.000	0.170	6.600	8.100	0.320	0.320
73/12/06	14	30	0.220	10.000	0.190	4.800	6.100	0.320	0.320
74/01/11	11	45	0.480	3.550	0.240	1.200	2.050	0.320	0.320
74/04/04	16	00	0.150	10.000	0.180	2.600	4.900	0.320	0.320
74/05/20	04	00	0.160	4.000	0.077	1.250	1.700	0.320	0.320
74/07/24	13	00	0.120	6.800	0.050K	2.400	3.800	0.320	0.320
74/08/26	11	30	0.040	16.000	0.050K	0.050K	4.100	0.320	0.320
74/09/25	14	00	0.120	13.500	0.310	5.100	6.900	0.320	0.320
74/10/22	14	00	0.160	10.000	0.160	4.300	5.500	0.320	0.320

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STREET RETRIEVAL DATE 76/07/22

0105KA A50106KA P0000559
 33 14 00.0 CAR 29 00.0 4
 WILSONVILLE
 01 SHELBY CO HWY 033591
 T/LAY LANE
 BULLETT CREEK
 1144ALTS 2141204
 0000 FEET DEPTH CLASS 00

DATE	TIME	DEPTH	00630	00625	00610	00671	00665	50051	50053
FROM	TO	DAY	00	N	TOTAL	00THO	MG/L	FLOW	CONDUIT
10	00	FEET	MG/L	MG/L	MG/L	MG/L	MG/L	RATE	FLOW-MGD
7/3/57/30	13 00		2.500	1.100	0.028	1.000	2.600		
7/3/57/31	13 00		2.600	4.500	0.320	0.300	1.050		
7/3/57/05	13 00		1.050	7.750	0.420	1.920	26.300		
7/3/57/01	10 00		1.260	8.200	0.550	3.000	6.900	0.031	0.031
7/3/57/30	10 00			9.900	0.560	3.440	4.000		
7/3/57/01	13 00		1.000	5.000	0.300	1.800	3.300	0.031	
7/3/57/01	05 00		3.000	15.500	0.300	10.000	11.500	0.031	
7/3/57/03	13 10		2.500	8.000	0.170	2.300	4.800		0.031
7/3/57/31	12 00		0.600	1.500	0.160	0.440	2.700		0.037
7/3/57/01	13 00		3.000	1.200	0.050	0.350	0.450		0.037
7/3/57/29	12 10		1.120	7.000	0.160	2.400	3.600		

* VALUE ADJUSTED TO BE
 AT 55 TONS INDICATED

START RETRIEVAL DATE 10/01/22

010MA1 L5010RA1
32 48 00.0 046 27 00.0 4
COOSA RIVER
UT MAP CHILTON CO H
0/ MITCHELL LAKE (HESVM) 0335-11
AT MITCHELL DAM 11 MI SSE OF CLANTON
11EPALES 211120-
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO ₃ -N Q-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH ₃ -N TOTAL MG/L	00671 PHOS-015 UPHMO MG/L P	00665 PHOS-TOT MG/L P
7/1/03	15	15	0.315	7.100	0.240	0.042	0.042
7/1/04	07	09	0.240	1.300	0.164	0.044	0.090
7/1/05	10	00	0.200		0.120	0.039	0.082
7/1/06	03	09	0.147	1.340	0.084	0.031	0.145
7/1/07	14	09	0.250	0.370	0.054	0.030	0.065
7/1/08	25	08	0.058	0.335	0.052	0.011	0.030
7/1/09	09	09	0.066	0.400	0.044	0.016	0.045
7/1/10	21	04	0.154	0.350	0.020	0.024	0.045
7/1/11	14	10	0.374	0.700	0.039	0.036	0.045
7/1/12	09	10	0.300	0.300	0.036	0.060	0.105
7/1/13	05	09	0.244	0.400	0.060	0.064	0.130
7/1/14	14	10	0.270	0.400	0.076	0.070	0.145
7/1/15	02	14	0.330	1.200	0.070	0.035	0.075
7/1/16	14	20	0.320	0.500	0.050	0.040	0.085

STATION: 0108A2 DATE: 7/6/07/22

0108A2 LS0108A2
32 58 00.0 046 31 00.0 4
COOSA RIVER
01 MAP CHILTON CO M
1/4 MITCHELL LAKE (RESERV) 033592
MIDSTREAM FROM FERRY S OF LAY DAM
HICPALES 2111204
0000 FEET DEPTH CLASS 00

DATE TIME FAC	TIME OF DAY	DEPTH FEET	00610 NH3-N TOTAL MG/L	00625 TOT KJAL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00662 PHOS-TOT MG/L P
7/6/07/03	01 55		6.290	1.260	6.093	0.036	0.025
7/6/07/07	10 20		6.290	1.500	5.154	0.044	0.090
7/6/07/05	09 40		0.710	2.700	0.170	0.033	0.080
7/6/07/03	09 50		0.160	0.960	0.072	0.035	0.095
7/6/07/14	10 00		0.270	0.500	0.040	0.034	0.070
7/6/07/25	09 05		0.044	0.260	0.040	0.011	0.035
7/6/07/09	11 50		0.115	0.520	0.041	0.025	0.050
7/6/10/21	10 20		0.196	0.500	0.020	0.021	0.040
7/6/11/18	10 15		0.390	0.950	0.033	0.036	0.055
7/6/12/09	09 30		0.264	0.500	0.064	0.052	0.095
7/6/01/05	09 35		0.284	0.500	0.056	0.072	0.135
7/6/01/19	09 45		0.310	0.500	0.072	0.065	0.140
7/6/02/02	15 00		0.270	1.200	0.165	0.035	0.080
7/6/02/16	10 30		0.310	0.790	0.070	0.035	0.085

STREET RETRIEVAL DATE 76/07/22

010HH1 LS010HH1
32 49 30.0 086 30 00.0 4
CARULE CREEK
01 MAP CHILTON CO M
T/MITCHELL LAKE (HESVH) 033592
SEC RD KING 6.5 MI E OF CLANTON
11EPALES 2111204
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00610 NO2AND3 N-TOTAL MG/L	00625 TUT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS OMTMO MG/L P	00655 PHOS-TOT MG/L P
73/6/01	15 15		0.054	1.400	0.056	0.008	0.070
73/08/01	09 15		0.180	2.600	0.470	0.040	0.130
73/05/05	09 15		0.120	2.100	0.066	0.006	0.015
73/06/01	09 15		0.132	1.750	0.078	0.011	0.025
73/07/14	11 40		0.170	1.100	0.550	0.013	0.025
73/08/25	08 40		0.039	0.100K	0.012	0.006	0.010
73/09/09	12 40		0.031	0.290	0.015	0.005K	0.015
73/10/21	09 00		0.017	0.250	0.015	0.006	0.006
73/11/14	09 35		0.012	0.300	0.023	0.005K	0.005K
73/12/09	09 35		0.116	0.300	0.016	0.012	0.025
74/01/05	09 30		0.312	0.100	0.032	0.016	0.030
74/01/19	09 35		0.320	0.200	0.040	0.015	0.040
74/02/02	11 40		0.164	0.100	0.035	0.010	0.020
74/02/15	11 40		1.430	0.100	0.055	0.020	0.030

K VALUE KNOWN TO BE
LESS THAN INDICATED

STOMEL RETRIEVAL DATE 76/07/22

010dCI LS0108CI
32 53 00.0 0M6 32 00.0 4
WALNUT CREEK
01 MAP CHILTON CO M
T/MITCHELL LAKE (RESVR) 033592
SEC WD KING 6 MI NE OF CLANTON
HICPALES 2111204
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N-TOTAL	00625 TUT KJEL N	00610 NH3-N TOTAL	00671 PHOS-DIS ORTHO	00665 PHOS-TOT
			MG/L	MG/L	MG/L	MG/L P	MG/L P
73/03/03	02 20		0.360	3.500	0.310	2.500	2.750
73/04/07	11 00		0.320	1.800	0.470	0.125	0.345
73/05/05	09 10		2.020	7.500	0.520	0.154	0.270
73/06/03	09 10		0.460	5.200	0.815	3.000	3.300
73/07/14	09 25		0.300	0.780	0.520	2.800	
73/08/25	08 20		2.060	0.800	0.315	4.600	4.600
73/09/09	10 00		0.680	3.780	3.750	3.100	3.100
73/10/21	11 45		0.290	0.600	0.042	0.019	0.075
73/11/18	09 45		0.920	1.950	1.160	1.800	1.800
73/12/09	09 00		0.580	1.400	0.830	1.100	1.300
74/01/05	09 05		0.450	1.020	0.168	1.440	1.700
74/01/19	09 10		0.450	0.400	0.092	1.450	1.880
74/02/02	13 45		0.400	1.100	0.260	0.660	0.760
74/02/16	09 30		0.650	1.000	0.220	0.640	0.800

STREET RETRIEVAL DATE 7/6/07/22

010H01 LS010H01
32 57 30.0 086 32 00.0 4
YELLOWLEAF CREEK
01 MAP CHILTON CO M
1/ MITCHELL LAKE (RESVR) 033542
SEC WD KING 1 MI SW OF LAY DAM
HLEPALES 2111204
6000 FEET DEPTH CLASS 00

DATE	TIME	DEPTH	00630	00625	00610	00671	00665
FROM	OF		NUTRNO3	TOT KJEL	NH3-N	PHOS-DIS	PHOS-TOT
TO	DAY	FEET	N-TOTAL	N	MG/L	MG/L P	MG/L P
7/3/03/03	21	50	0.044	2.400	0.064	0.014	0.045
7/3/04/07	09	45	0.132	2.500	0.460	0.022	0.135
7/3/05/05	10	15	0.132	1.400	0.096	0.010	0.030
7/3/06/03	10	10	0.170	2.510	0.088	0.019	0.025
7/3/07/14	10	25	0.167	0.140	0.036	0.034	0.035
7/3/08/20	09	25	0.092	3.230	0.021	0.025	0.030
7/3/09/04	11	15	0.044	0.420	0.044	0.045	0.04
7/3/10/21	10	45	0.042	0.450	0.017	0.004	0.015
7/3/11/14	10	30	0.017	0.400	0.016	0.005	0.015
7/3/12/09	09	45	0.022	0.200	0.032	0.017	0.017
7/3/13/05	09	55	0.108	0.300	0.016	0.004	0.030
7/3/01/14	10	00	0.224	0.700	0.032	0.015	0.035
7/3/02/02	15	55	0.164	0.400	0.100	0.015	0.015
7/3/03/14	11	05	0.264	0.400	0.030	0.015	0.020

STORM METEOROLOGICAL DATE 76/07/22

0104E1 LS0104E1
 32 55 30.0 046 22 00.0 4
 WEUGUFA CHEER
 01 MAP COOSA CO MAY
 T/4ITCHELL LAKE (RESVM) 933591
 SEC RD AING .75 MI NW OF MILLWOOD
 11EPALES 2111204
 0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2-N-TOTAL MG/L	00625 TOT KJFL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS OMTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/01	10 05		0.0104	0.690	0.039	0.006	0.020
73/04/07	10 40		0.092	1.800	0.410	0.016	0.110
73/05/05	11 00		0.046	1.260	0.072	0.005K	0.025
73/06/03	10 10		0.014	0.180	0.018	0.011	0.025
73/07/14			0.032	1.400	0.032	0.007	0.015
73/08/25	09 40		0.012	0.420	0.016	0.015	0.020
73/09/04	11 00		0.011	0.500	0.026	0.013	0.020
73/10/21	10 40		0.0104	0.500	0.013	0.005K	0.005K
73/11/14	11 50		0.0104	0.250	0.012	0.004	0.015
73/12/04	11 20		0.040	0.350	0.008	0.012	0.017
74/01/05	11 10		0.208	0.300	0.016	0.010	0.035
74/01/14	11 10		0.112	1.200	0.300	0.010	0.040
74/02/02	15 30		0.064	0.800	0.050	0.010	0.025
74/02/14	15 25		0.108	0.200	0.020	0.010	0.025

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STREET REFERENCE DATE 7/6/67/22

0104P1 LS0104P1
32 51 00.0 346 20 30.0 4
MATCHETT CREEK
01 MAP COUSA CO MAY 033591
1/MITCHELL LAKE
SEC 40 KING 1.75 MI N KELLYS CROSSROADS
11EPALES 2111204
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 0028NO3 N-TOTAL MG/L	00625 TOT N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-015 MG/L P	00665 PHOS-TOT MG/L P
7/5/67	03 04	10	0.022	1.400	3.656	0.005K	0.020
7/6/67	07 10	00	0.050	3.100	3.535	0.012	0.110
7/6/67	05 10	20	0.013	2.950	3.320	0.005K	0.030
7/6/67	03 10	00	0.021	0.110	0.004	0.009	0.016
7/6/67	14 10	00	0.021	0.100K	0.019	0.004	0.020
7/6/67	25 04	20	0.010K	0.100K	0.007	0.004	0.015
7/6/67	04 10	20	0.010K	0.230	0.007	0.016	0.026
7/6/67	04 10	00	0.010K	0.300	0.013	0.005K	0.005K
7/6/67	11 10	40	0.010K	0.400	0.021	0.012	0.015
7/6/67	04 10	50	0.012	0.300	0.012	0.020	0.025
7/6/67	01 05	10	0.052	0.400	0.032	0.012	0.030
7/6/67	01 10	50	0.064	0.200	0.024	0.010	0.035
7/6/67	02 14	40	0.032	0.200	0.017	0.010	0.030
7/6/67	14 55		0.052	0.300	0.015	0.010	0.035

* VALUE KNOWN TO BE
LESS THAN INDICATED

0100CA IF010dCA p004500
J2 51 10.0 046 36 20.0 4
CLLANTON
WI CHILTON CU MAY 03592
TAMMITHCELL RESERVOIR
WALWOUT CREEK
NEPALES
0000 FEET DEPTH CLASS 00
214204

[illegible]

STATION RETRIEVAL DATE 7/6/07/22

0104CA 1F0104CA P004500
 32 51 10.0 046 36 20.0 4
 CLANTON CHILLON CO HWY 033592
 T/MITCHELL RESERVOIR 033592
 WALNUT CREEK 2141204
 11EPALES
 0000 FEET DEPTH CLASS 00

DATE	TIME	DEPTH	00630	00625	00610	00671	00665	50051	50053
FROM	OF		TOT KJFL	TOT KJFL	NH3-N	PHOS-DIS	PHOS-TOT	FLW	CONDUIT
TO	DAY	FEET	N	N	TOTAL	URTHO	MG/L P	MATE	FLOW-MGD
			MG/L	MG/L	MG/L	MG/L P	MG/L P	INST MGD	MONTHLY
7/6/04/30	11 00		3.200	4.300	3.100	4.900	5.700	0.632	0.633
7/6/04/30	16 00								

APPENDIX E
PARAMETRIC RANKINGS OF LAKES
SAMPLED BY NES IN 1974
STATE OF ALABAMA

LAKE DATA TO BE USED IN CALCULATIONS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CALORA	15- MIN UU	MEDIAN DISS OXID P
0101	HANNAH LAKE	0.024	0.770	452.667	4.017	14.900	0.007
0103	GALT RESERVOIR	0.029	0.300	465.774	2.144	14.000	0.008
0104	COLUMBIAN RESERVOIR	0.044	0.480	461.111	8.567	12.200	0.014
0105	MULT LOCK AND DAM	0.018	0.835	449.417	2.183	13.600	0.006
0106	LAY LAKE	0.075	0.390	470.776	7.056	13.000	0.032
0107	MARTIN LAKE	0.017	0.170	435.250	6.407	15.000	0.004
0108	MITCHELL LAKE	0.053	0.290	466.000	6.211	12.400	0.022
0109	PICKWICK LAKE	0.056	0.535	455.000	2.450	11.900	0.035
0112	WELLS RESERVOIR	0.042	0.260	478.385	11.261	14.900	0.034
0114	WILSON LAKE	0.053	0.460	447.714	7.400	10.200	0.022
0115	LAKE BERRY	0.049	0.170	437.889	12.711	15.000	0.014

PERCENT OF LAKES WITH HIGH-LOW VALUES (NUMBER OF LAKES WITH HIGH-LOW VALUES)

Lake Code	Lake Name	Median Total P	Median Inorg N	500-Mean Sec	Mean Chloma	15-Min P	Median Diss O ₂ H ₂ O P	Index No
0101	WAGGAMAN LAKE	75 (7)	10 (1)	60 (6)	72 (7)	25 (2)	80 (8)	320
0103	GALT RESERVOIR	75 (7)	60 (6)	30 (3)	100 (10)	40 (4)	70 (7)	375
0108	COLUMBIAVILLE RESERVOIR	60 (6)	30 (3)	40 (4)	20 (2)	80 (8)	55 (5)	285
0108	MAY LOCK AND DAM	90 (9)	0 (0)	70 (7)	90 (9)	50 (5)	90 (9)	390
0109	LAR LAKE	10 (1)	50 (5)	10 (1)	40 (4)	60 (6)	20 (2)	190
0107	MANTIN LAKE	100 (10)	95 (9)	100 (10)	50 (5)	5 (0)	100 (10)	450
0108	MILWAUKEE LAKE	40 (4)	70 (7)	20 (2)	60 (6)	70 (7)	35 (3)	295
0109	WILSON LAKE	20 (2)	20 (2)	50 (5)	80 (8)	90 (9)	0 (0)	260
0112	WILSON RESERVOIR	0 (0)	80 (8)	0 (0)	10 (1)	25 (2)	10 (1)	125
0114	WILSON LAKE	30 (3)	40 (4)	80 (8)	30 (3)	100 (10)	35 (3)	315
0115	Lake Plover	50 (5)	95 (9)	90 (9)	0 (0)	5 (0)	55 (5)	295

LAKES RANDED BY INDEX NOS.				INDEX NO
WARR	LAKE CODE	LAKE NAME		
1	0107	MARTIN LAKE		456
2	0105	MOLT LOCK AND DAM		396
3	0103	GARIT RESERVOIR		375
4	0101	HANHEAD LAKE		320
5	0114	WILSON LAKE		315
6	0115	LAKE PUDRY		295
7	0108	MITCHELL LAKE		295
8	0104	GUNTERSVILLE RESERVOIR		285
9	0109	PICKWICK LAKE		260
10	0106	LAY LAKE		190
11	0112	WEISS RESERVOIR		125